## RDNS EQUIPMENT CATALOGUE

**EXTERNAL PRESCRIBERS** 







Ver 30.09	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver 3			BATHING AND TOILETING			
			Bath Aids			
	BTBDWH	Yes	Bathboard with handle	Provides a support surface to place across the bath which enables safe and easy showering in a seated position. Helps when transferring in and out of the bath as this can be performed in a seated position. The included handle assits with transfers in and out of the bath as well as safety whilst seated showering.	Adjustable width clamps: 41 cm - 62 cm Length:69 cm Width: 26 cm Maximum user weight capacity: 150 kg	
	BTBDBA	Yes	Bathboard - Bariatric	Designed to provide a stable seat over the bath. Constructed of reinforced PVC Anti - slip rubber pads improves safety and protects the bath surface	Adjustable width clamps: 50 cm - 66 cm Length: 66 cm Width: 34 cm Maximum user weight capacity: 190 kg	
	BTBSSW	Yes	Bath Seat - Swivel	Designed for showering over bath and aiding with transfers into the bath by allowing this occur in a safe seated position.	Maximum user weight: 110kg Adjustable width to fit most baths Moulded plastic seat with drainage holes Contoured back rest Side support arms for added security 360° swivel seat Locking lever for set positioning	

BTBTBWB	Yes	Bath Transfer Bench - With Back	Provides a support surface to place across the bath which enables safe and easy showering in a seated position.  Helps when transferring in and out of the bath as this can be performed in a seated position.  Plastic seat and backrest provides a non slip surface with holes for water drainage  Adjustable backrest and handle to suit left or right facing baths without using tools  Built-in dish and hand-held shower slot for user convenience	Height adjustable seat: 43 cm - 56 cm (25mm increments) Seat dimension: Width 66 cm Depth 37 cm Maximum user weight: 136kg	FIA
BTSMNS	Yes	Shower Mat / Bath Mat Non Slip  Mobile Shower Commodes	With their raised ridges and unique design, the mats allow you to stand, without slipping, on a wet surface. Use on flat firm wet surface & press down first so the suction caps engage. The mats grip securely and safely due to their high-grade medical rubber content and additional suction cups.	Machine washable at 40°.  Dimension: 555mm x 555mm	

BTMSTR6

Mobile Shower Commode, No Transit, 457mm/18inch Wide, Aluminium

The attendant propelled mobile shower Overall Height: 958 commode is lightweight and maneuverable to allow for easier toileting and showering whilst the user is seated. The chair features a lightweight, silver painted aluminium frame, which provides a rust free, high strength product. Brakes on all four wheels for security, the swing away, detachable footrests offer comfort and support whilst being transported and the armrests can be flipped back to facilitate side transfer. This chair can be used in a shower cubicle or wet room, used as a commode or over a standard toilet bowl. The front of the seat is cut-away to facilitate personal hygiene and a set insert is provided for comfort during transport. Supplied with a square commode pan as standard. The detachable back enables the shower commode chairs to be partially dismantled for more compact storage.

1008mm (with castors) Overall Length: 550mm (without footrests) / 810mm (with footrests)

Overall Width: 555mm Seat Height: 495 - 570mm Seat Width: 457mm Seat

Depth: 425mm

Aperture Size: 190mm x

360mm

Backrest Width: 462mm Backrest Height (from

seat): 436mm

Front & Rear Wheel Diameter: 130mm

Under Seat Clearance: 430

- 505mm Weight: 12.4kg

Maximum User Weight:

125kg

Warranty: 12 months



BTMSTR1	No	Mobile Shower Commode, Transit, Stainless Steel, 460mm	Assists with the transportation of the user for showering and toileting. The chair can be wheeled over a standard toilet and used in a large shower alcove. Swingback arms with padded armpads assist side transfers and can be positioned at two different heights Adjustable safety arms for additional security Sliding footrest is textured and weight-bearing for added safety Footrest slides back under frame to assist patient transfers PVC slatted backrest Mounted on 4 x 125mm stainless steel locking castors Durable stainless steel frame Tested and conforms to Australian Standards AS/NZS 3973: 2009l	Seat Width - 460mm Seat Depth - 430mm Seat Height - 595 Armrest Height - 200/240mm Backrest Height - 340mm Overall Width - 540mm Max User Weight - 200kg	
BTMSTR3	No	Etac Swift Mobile Shower Commode, Transit, Swing Away Footplates, Adjustable Height	Assists with the transportation of the user for showering and toileting. The chair can be wheeled over a standard toilet and used in a large shower alcove. Soft, adjustable, non-stick, quick-drying nylon back support Seat and back support easily detachable for cleaning or storage Swing away arm and foot supports Curved foot supports with side heel protection	Fully height adjustable from 450 - 600mm Seat height (at 20mm intervals) Maximum user weight 135kgs	

BTMSTR4	No	Mobile Shower Commode, Transit, Bariatric, 560mm wide, Stainless Steel	Assists with the transportation of the user for showering and toileting. The chair can be wheeled over a standard toilet and used in a large shower alcove.  Wider seat widths and reinforced frame to suit the bariatric client  Swingback arms with padded armpads assist side transfers and can be positioned at two different heights  Adjustable safety arms for additional security  Sliding footrest is textured and weightbearing for added safety  Footrest slides back under frame to assist patient transfers  PVC slatted backrest  Mounted on 4 x 125mm stainless steel locking castors  Durable stainless steel frame	Seat Width - 560mm Seat Depth - 430mm Seat Height - 595mm Armrest Height - 200/240mm Backrest Height - 340mm Overall Width - 640mm Max User Weight - 300kg
			Tested and conforms to Australian Standards AS/NZS 3973: 2009l	



BTMSTR5	No	Mobile Shower Commode, Transit, Bariatric 610mm wide, Stainless Steel	Assists with the transportation of the user for showering and toileting. The chair can be wheeled over a standard toilet and used in a large shower alcove. Wider seat widths and reinforced frame to suit the bariatric client  Swingback arms with padded armpads assist side transfers and can be positioned at two different heights  Adjustable safety arms for additional security  Sliding footrest is textured and weight-bearing for added safety  Footrest slides back under frame to assist patient transfers  PVC slatted backrest  Mounted on 4 x 125mm stainless steel locking castors  Durable stainless steel frame  Tested and conforms to Australian	Seat Width - 610mm Seat Depth - 430mm Seat Height - 595mm Armrest Height - 200/240mm Backrest Height - 340mm Overall Width - 690mm Max User Weight - 300kg
---------	----	---	--	--



BTMSSP1	No	Mobile Shower Commode, Self Propelled, SS, 460mm	Assists with the transportation of the user for showering and toileting. The chair can be wheeled over a standard toilet and used in a large shower alcove. Swingback arms with padded armpads for side transfers Adjustable safety arms for additional security Armrests can be positioned at two different heights Removable PVC slatted backrest Adjustable height swingaway legrests or slide out weight-bearing footrest Mounted on 2 x 125mm stainless steel castors and 2 x 22 inch rear wheels Durable stainless steel frame.	Seat Width - 460mm Seat Depth - 430mm Seat Height - 595mm Armrest Height - 200/240mm Backrest Height - 340mm Overall Width - 660mm Max User Weight - 200kg	
BTMSSP2	No	Mobile Shower Commode, Self Propelled, Adjustable Height	Easy to maneuver, for the independent user, the 24-inch wheels are positioned to make it easy to maneuver the chair without compromising user safety or comfort. It is easy to transfer to and from the chair thanks to the large, unrestricted seat in front of the wheels. The brake handles are also positioned below the seat so that they do not get in the way during transfer, while remaining easy to reach. Front seat recess; fully open at rear Long, removable, swing away arm supports Curved footplate with side protection for heels; slides in under seat Footplate features full height and tilt adjustment.	Width between arm supports - 43.5 cm Seat height - 55 cm Seat width - 48 cm Seat depth - 44 cm Space below seat - without pan holder: 49.5 cm, with pan holder: 48 cm Opening - depth x width, 36 cm x 21,5 cm Weight - 20 kg Maximum user weight - 130 kg	

BTDMSC
BTMSTR7

**Denmark Mobile Shower** Commode

The Denmark mobile shower/commode Weight (incl. Footrests): chair is attendant propelled and has height adjustable and angle adjustable footrests. The slip resistant armrests can be removed sideways providing an advantage for side way transfers. The Chair also has 100 mm castors, an ergonomic cutout seat for easy hygiene 47.5cm access and a soft flexible plastic backrest. The weight capacity is 150kgs.

12.6kg

Capacity: 150kg Seat Depth: 45cm

Seat Height: 44.5 - 56.5cm

(adjustable)

Width Between Armrests:

Max Width: 58cm Length (without the footrests): 60cm



Aquatec Ocean VIP Ergo Tilt Shower Commode

The Aquatec Ocean Ergo Family of shower chair commodes have been designed with user comfort, independence and dignity in mind. Based on the well established Aquatec Ocean range, the Ocean Ergo family comes packed with a range of new features, designed to make personal care activities easier for both the user and carer.

SWL - 150kg. Seat Height 475 - 600mm Seat width 480mm Overal width 565mm Overall Depth 1000mm (including footrests)



**BTMSEST** ETAC Swift Mobil-2 Tilt in Space The Swift Mobil Tilt-2, has a unique tilt SWL - 160kg Mobile Shower Commode with feature that gives increased security for Height 500 - 650mm Seat Pan the user and an ergonomic working Width 500mm Overall position for the carer. It's -5° to +35° tilt Width 640mm function can be operated from either side of the chair. This allows the carer to reassure the user when tilting. **Shower Chairs** 

Seat

**BTSCST** Shower Chair, Standard, A standard no-fuss, safe and reliable Yes Adjustable - With Arms chair which is height adjustable. It features a contoured, plastic moulded seat, which is both comfortable & hygienic. It has been cleverly designed with a gentle slope, so that water can flow away for easy drainage. The steel frame using 22.2mm tubing enables users to gain a firm grip making transferring safer and easier. Tested to 490mm Australian standards.

Overall Height: 775mm -

900mm

Overall Width: 545mm Overall Depth: 515mm Seat Width: 440mm

Seat Depth: 405mm Seat Height Range:

410mm-535mm

Width between Armrests:

Armrest (Seat to top of

handle): 200mm

Backrest Height: 350mm

Frame: Steel

Frame Diameter (armrest

and leg): 22.2mm

Extension Leg Diameter:

25.8mm

**Extension Leg** 

(outer/inner): Outer

Rubber Tip (White): DIA 40mm x DIA 23.8mm

Colour: White

Net Weight: 3.7kg

Maximum User Weight:

125kg

Warranty: 12 months



BTSCB00	Yes	Shower Chair - Bariatric - 525 Wide	Reinforced wide frame – Provides stability for larger users Contoured plastic seat with drainage holes and windows - Provides postural support, improves drainage and reduces skin adhesion Height adjustable legs – Easy push button height adjustment for changing needs Additional height increments on one leg – Accommodates uneven surfaces All frames are individually treated for corrosion resistance Raised armrests – Assist the user transferring on and off the elevated seat Durable non-slip feet – Provide excellent grip and stability in wet conditions and a stainless steel washer within enhances durability	SWL 200kg Overall Height: 735 - 910 mm Overall Width: 570 mm Overall Depth: 570 mm Width Between Arms: 525 mm	
BTSCB03	Yes	Shower Chair - Bariatric - 550 Wide	Height adjustable Wider seat widths and reinforced frame to suit the bariatric client Padded seat and curved backrest provide comfort and postural support Non-slip rubber feet Powder coated steel frame Electrophoretic surface treatment to prevent rusting	Seat Width 550mm Seat Height 470 - 640mm Base Width 650mm Base Depth 520mm Max User weight 300kg	

BTSCB04	Yes	Shower Chair - Bariatric - 600 Wide	Height adjustable Wider seat widths and reinforced frame to suit the bariatric client Padded seat and curved backrest provide comfort and postural support Non-slip rubber feet Powder coated steel frame Electrophoretic surface treatment to prevent rusting	Seat Width 600mm Seat Height 470 - 640mm Base Width 700mm Base Depth 520mm Max User weight 300kg	
BTSCB01	Yes	Shower Chair - Bariatric - 610 Wide	Backrest can be adjusted in depth +/- 60mm and has curved tubing to ensure comfort for any body shape. Having the right height for the user ensures success in getting in and out of the chair and these chairs are adjustable from 420 to 550mm. Butterfly armrests ensure the body doesn't get squeezed getting in to and out of the chair whilst providing a good grip for sitting and getting up. The high-tech, lightweight tubing provides the highest strength at the lowest weight Removable seat pad ensures these items are easy to clean.	Overall Width: 730mm Weight: 7kg Maximum	

BTSCB05	Yes	Shower Chair - Bariatric - 650 Wide	Height adjustable Wider seat widths and reinforced frame to suit the bariatric client Padded seat and curved backrest provide comfort and postural support Non-slip rubber feet Powder coated steel frame Electrophoretic surface treatment to prevent rusting	Seat Width 650mm Seat Height 470-640mm Base Width 750mm Base Depth 520mm Max User Weight 300kg	
BTSCB02	Yes	Shower Chair, Commode & Toilet Aid, Barriatric (All in One)	Redesigned with the carer in mind, the Bariatric All In One is an over toilet aid, shower chair and commode. Comes with square bowl with easy front access to remove bowl. The square bowl does not have a lid. Optional splash guard available. The seat lifts up and comes with a seat cover. The removable backrest adds stability when used as a bedside commode and can be removed when using over a toilet. The moulded armrests assist gripping for safe and easy transferring.	Seat Depth: 450mm Seat Height: 465 - 615mm (to over seat top) Width Between Arms: 600mm Height Adjustable: 430- 570mm	

Yes	Shower Chair, Swivel	Height adjustable Swivel motion assists easy transfers from standing to showering position Seat locks in both transfer and showering positions Integrated arms assist transfers Drainage slots drain water away from seating area Non-slip rubber tips Powder coated steel frame	Width Between Arms 480mm Seat Height 480- 560mm Base Width 560mm Base Depth 540mm Max User Weight 160kg	
	Shower Stools			
Yes	Shower Stool Adjustable - With Arms	The standard shower stool is height adjustable and features side handles to assist with transfers. The stool has a small footprint and is ideal for smaller shower alcoves.	Overall Width: 510mm Overall Depth: 410mm Width Between Arms: 450mm Weight of Stool: 3.2kg Height Adjustable: 490 - 610mm Maximum User Weight: 110kg	7
Yes	Shower Stool Adjustable - Without Arms	Height adjustable Side handles to assist transfers Durable plastic moulded seat Non-slip rubber tips Electrophoretic surface treatment to prevent rusting Powder coated steel frame	Width 380mm Seat height 510 - 660mm Base width 550mm Base Depth 380mm Max user weight 125kg	A
Yes	Shower Stool Adjustable - With Backrest	Height adjustable Padded seat and back for added comfort Integrated arms assist transfers Non-slip rubber tips Electrophoretic surface treatment to prevent rusting Powder coated steel frame	Width Between arms 460mm Seat Height 520- 670mm Base Width 550mm Base Depth 380mm Max User Weight 125kg	AR
	Yes	Shower Stools  Yes Shower Stool Adjustable - Without Arms  Yes Shower Stool Adjustable - Without Arms	Swivel motion assists easy transfers from standing to showering position Seat locks in both transfer and showering positions Integrated arms assist transfers Drainage slots drain water away from seating area Non-slip rubber tips Powder coated steel frame  Shower Stools  Yes Shower Stool Adjustable - With Arms The standard shower stool is height adjustable and features side handles to assist with transfers. The stool has a small footprint and is ideal for smaller shower alcoves.  Yes Shower Stool Adjustable - Without Arms Side handles to assist transfers Durable plastic moulded seat Non-slip rubber tips Electrophoretic surface treatment to prevent rusting Powder coated steel frame  Yes Shower Stool Adjustable - With Backrest Height adjustable Padded seat and back for added comfort Integrated arms assist transfers Non-slip rubber tips Electrophoretic surface treatment to prevent rusting Powder coated steel	Swivel motion assists easy transfers from standing to showering position Seat locks in both transfer and showering positions Integrated arms assist transfers Drainage slots drain water away from seating area Non-slip rubber tips Powder coated steel frame  Shower Stools  Yes Shower Stool Adjustable - With Arms  Shower Stool Adjustable - Without Arms  Yes Shower Stool Adjustable - Without Arms  Shower Stool Adjustable - Without Arms  Shower Stool Adjustable - Without Arms  Shower Stool Adjustable - With Backrest  Shower Stool Adjustable - With Shower

**BTSSAHD** Yes

Shower Stool Adjustable -

Constructed from sturdy no rust Heavy Duty Padded - Aluminium aluminium with easy push button adjustment legs

The internal sliding legs provide smooth 655mm and effortless height adjustment whilst avoiding any chance of water filling the 445mm legs

Reinforced frame using 25.4mm tubing enables user to gain a firmer grip making transferring safer & easier The seat is padded for comfort and is removable for cleaning

Overall Height (footprint): 679mm - 829mm

Overall Width (footprint):

Overall Depth (footprint):

Seat Width: 445mm Seat Depth: 275mm Seat Height Range: 539mm-689mm

Width between Armrests:

538mm

Armrest (Seat to top of

handle): 140mm Frame: Aluminium

Frame Diameter (armrest

and leg): 25.4mm

Extension Leg Diameter:

28.6mm

Extension Leg

(outer/inner): Outer Rubber Tip (White): DIA

40mm x DIA 27mm

Colour: White

Net Weight: 3.0kg

Maximum User Weight:

150kg

Warranty: 12 months ARTG ID: 291268 Tested to Australian



BTSSAWB	Yes	Shower Stool With Removable Back and Arms - Bariatric	Aluminum construction in light weight and corrosion free Cross-brace to enhance the stability during sitting Blow molded bench and back provide comfort and strength Drainage in seat to reduce slipping Limited Lifetime Warranty	Seat width 51cm Seat depth 36cm Seat height 36-51cm Overall width 58cm Overall depth 38cm Overall height 68-84cm Weight Capacity 227kg Total weight 3.3kg	
		Accessories			
BTSH1T	Yes	Shower Hose Single Tap 2 Metre - Push on	Fixes to existing tap spouts Lightweight plastic handpiece Supplied with two rubber reducing collars to suit most tap spouts Easily fitted and removed	Length 2m	
BTSH2T	Yes	Shower Hose Double Tap 2 Metre - Push on	Hand Shower – Dual Tap Clamp-on. Fixes to existing tap spouts Lightweight plastic handpiece Supplied with two rubber reducing collars to suit most tap spouts Easily fitted and removed Length 2m	Length 2m	
		Toileting Aids			

BTTAX01	Yes	Toilet Seat Extension - With Lid - 50mm	Ergonomic contoured one piece seat with lid Tapered flange with front and rear access Stain and odour resistant Easy to secure with two hand adjustable brackets	Height 50mm. Maximum user weight 130kg	
BTTAX02	Yes	Toilet Seat Extension - With Lid - 100mm	Ergonomic contoured one piece seat with lid Tapered flange with front and rear access Stain and odour resistant Easy to secure with two hand adjustable brackets	Height 100mm. Maximum user weight 130kg	
BTTAX03	Yes	Toilet Seat Extension - 50mm	Increases toilet seat height Ideal for people with hip or knee injuries or those who require greater seat height Easily positioned and removed using location lip and adjustable clamps Front and rear cutouts for personal cleaning Contoured seat for greater comfort Moulded plastic is stain and odour resistant	Height: 50mm Max user weight: 190kg	

BTTAX04	Yes	Toilet Seat Extension - 100mm	Increases toilet seat height Ideal for people with hip or knee injuries or those who require greater seat height Easily positioned and removed using location lip and adjustable clamps Front and rear cutouts for personal cleaning Contoured seat for greater comfort Moulded plastic is stain and odour resistant	Height: 100mm Max user weight: 190kg	
BTTSA01	Yes	Toilet Surround - Adjustable	Frame to assist toilet transfers Height adjustable Non-slip rubber tips Powder coated steel	Height - 625-775 Width between Arms - 455 Base Width - 540 Base Depth - 490 Max User Weight - 125kg	AA
BTTSW01	Yes	Toilet Surround - Wide	Heavy duty fixed height frame to assist toilet transfers Fitted with rear cross bar for additional strength and stability Non-slip rubber tips Powder coated steel	Height - 685 Width between Arms - 620 Base Width - 670 Base Depth - 520 Max User Weight - 130kg	
BTTSRST	Yes	Toilet Seat Raiser - Adjustable with Splash Guard (SWL 125kg)	The Over Toilet Aid assists transfers on & off the toilet. This toilet surround frame is height adjustable, with a push button adjustment. Powder coated steel frame with non slip rubber feet. Comes complete with a seat and splashguard	Seat Width 370mm Width Between Arms	

BTTSRTW	Yes	Toilet Seat Raiser - Adjustable with Splash Guard (SWL 175kg)	Raised armrests – Assist the user transferring on and off the Over Toilet Aid Additional height increments on one leg – Accommodates uneven surfaces Height adjustable legs – Easy push button height adjustment for changing needs	Seat Height 450 - 630mm Seat Depth 435mm Width Between Arms 460mm Max User Weight 175kg	
BTTSR55	Yes	Toilet Seat Raiser - Bariatric 550mm Wide	Provides a raised seat to assist in toileting and transfers. Wider seat widths and reinforced frame to suit the bariatric client. Ideal for people with hip or knee injuries or those who require greater seat height Ergonomic angled arms assist transfers Supplied with lift-back toilet seat and removable splashguard Non-slip rubber tips Powder coated steel	Armrest height 230mm Base width 680mm Base Depth 610mm Maximum user weight	

BTTSR60	Yes	Toilet Seat Raiser - Bariatric 600mm Wide	Provides a raised seat to assist in toileting and transfers Wider seat widths and reinforced frame to suit the bariatric client Ideal for people with hip or knee injuries or those who require greater seat height Ergonomic angled arms assist transfers Supplied with lift-back toilet seat and removable splashguard Non-slip rubber tips Powder coated steel	Armrest height 230mm Base width 730mm Base Depth 610mm Maximum user weight	
BTTSR65	Yes	Toilet Seat Raiser - Bariatric 650mm Wide	Provides a raised seat to assist in toileting and transfers Wider seat widths and reinforced frame to suit the bariatric client Ideal for people with hip or knee injuries or those who require greater seat height Ergonomic angled arms assist transfers Supplied with liftback toilet seat and removable splashguard Non-slip rubber tips Powder coated steel	Width Between Arms 650mm Seat height 550mm Armrest height 230mm Base width 780mm Base Depth 610mm Maximum user weight 300kg	A

BTSCB02	Yes	Shower C Toilet Aid

Chair, Commode & id, Barriatric (All in One)

The bariatric All in One provides for being a toilet seat raise, shower chair and commode chair. The legs are height adjustable. It has a square bowl with easy access for removal from the font of the chair. The square bowl does Width Between Arms: not have a lid. The seat lifts up and comes with a seat cover. The removable backrest adds stability when 570mm used as a bedside commode and can be removed when using over a toilet. The moulded armrests assist gripping for safe and easy transferring.

Total Width: 790mm Total Depth: 530mm Seat Depth: 450mm Seat Height: 465 - 615mm

(to over seat top)

600mm

Height Adjustable: 430-

Safe Working Limit: 295kg



60.03	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver 30.09			BEDROOM Bedside Commode			
	BRCMAH1	Yes	Commode - Adjustable Height	The Bedside Commode has a clip on toilet seat, which clips on in seconds. There are no metal fittings on toilet seat. It is also height adjustable and easy to clean. It has a light blue deluxe padded overseat, as well as a removable round bowl with lid and handle. The lid eliminate spillages and reduces risks of cross infection. It also features a powder coated dark blue frame. This bedside commode looks very smart in a bedroom.	Overall Height: 820 - 970mm Overall Width: 610mm Overall Length: 550mm Seat Height: 460 - 610mm Weight: 8kg Maximum User Weight: 110kg	
	BRCMCL	Yes	Classic Bedside Commode	Allows for toileting in the bed room for users unable to travel between the bedroom and bathroom Available in Champagne or Slate Vinyl Raised Padded Armrests Easy Clean Vinyl Surfaces Height Adjustable Removable, Padded Seat Non-Slip Rubber Tips	Seat Height: 475 - 615 mm	

BRCM58	Yes	Commode - Adjustable Height - Heavy Duty - 580mm	Steel Heavy Duty Commode With removable Backrest. Durable and rigid frame in extra wide for high weight loading Adjustable height.	Seat 58cm width x 46cm depth Max User Weight 200kg.	
BRCMB65	Yes	Commode - Bariatric - 650mm Wide	Wider seat widths and reinforced frame to suit the bariatric client Padded seat, padded armrests, lift-back toilet seat and removable commode bowl Adjustable seat height Padded seat cover slides back easily for access to commode Three sided vanity skirt conceals commode bowl Powder coated steel frame	Width between arms 650mm Seat height: 390 - 540mm Armrest Height: 300mm Max user weight 150kg	

BTSCB02 Yes Shower Chair, Commode & Redesigned with the carer in mind, the Total Width: 790mm Toilet Aid, Barriatric (All in One) Total Depth: 530mm Bariatric All In One is an over toilet aid. shower chair and commode. Comes Seat Depth: 450mm with square bowl with easy front access Seat Height: 465 to remove bowl. The square bowl does 615mm (to over seat top) not have a lid. Optional splash guard Width Between Arms: available. The seat lifts up and comes 600mm with a seat cover. The removable Height Adjustable: 430backrest adds stability when used as a 570mm bedside commode and can be removed Safe Working Limit: when using over a toilet. The moulded 295kg armrests assist gripping for safe and easy transferring. **Bed Sticks BRHBR01** Discuss with CL Horizontal Bed Rail This Bed Rail is designed to prevent the Height: 500mm user from rolling out of bed. Once the Width (Base): 580mm user is in bed, simply slide the Bed Rail Length (Rail): 600mm under the mattress. The weight of the Weight: 2.5kg user secures the Bed Rail. Constructed from sturdy epoxy coated steel.

**Bed Positioning** 

BRBB01	Yes	Bed Bolster - Mattress Extension	200 mm long foam mattress extension for additional pressure relief under heel zone, available in Standard and King Single widths.  Suitable for use in most standard residential care, hospital and home care beds with sleeping platform extension capabilities. Standard model suits any 150 mm high foam mattress; King Single model suits Triple Layer King surface.	King Single (180 high, 1050mm wide)  Single (150 high, 865mm wide)  Features high-density memory foam upper layer with medium density foam core base double-strength multistretch waterproof cover reduces the potential for shear injuries seams are stitched, welded and taped for maximum infection control  Standard and King Single widths available	
BRBRA01	Yes	Back Rest - Adjustable	Multi-angled pillow support Provides assistance and support in bed Wide aluminium frame fitted with strong breathable nylon back Angle can be adjusted via a simple ratchet mechanism		

BRB	3W01 Yes	Foam Bed Wedge	Angled foam cushion provides comfort and support to the upper body Ideal for those who suffer from respiratory and reflux problems Removable quilted cotton cover Wedge can be turned to provide two different recline angles (15 degrees or 75 degrees)  Foam insert can be removed to alter the angle by approx 5 degrees	Length 680mm Width 710mm Height 240-600mm	
		Bed / Chair Blocks			
BRE	3K01 Yes	BED Blocks Plastic 40mm	Plastic block raisers designed to increase the height of a bed. Increases height by 40 mm Stackable	Internal radius: 65 mm Suits square legs up to 45 mm x 45 mm Weight Limit: Furniture plus user must weigh less than 250 kg	
BRE	3K01 Yes	CHAIR Blocks Plastic 40mm	Plastic block raisers designed to increase the height of a chair. Increases height by 40 mm Stackable	Internal radius: 65 mm Suits square legs up to 45 mm x 45 mm Weight Limit: Furniture plus user must weigh less than 250 kg	

	BRBK02	Yes	BED Blocks Plastic 100mm	Plastic block raisers designed to increase the height of a bed. Increases height by 100 mm Stackable	Internal radius: 65 mm Suits square legs up to 45 mm x 45 mm Weight Limit: Furniture plus user must weigh less than 250 kg	
	BRBK02	Yes	CHAIR Blocks Plastic 100mm	Plastic block raisers designed to increase the height of a chair. Increases height by 100 mm Stackable	Internal radius: 65 mm Suits square legs up to 45 mm x 45 mm Weight Limit: Furniture plus user must weigh less than 250 kg	
ı			Overbed Tables			
	BROBT01	Yes	Overbed Table	Eoxy coated frame with a vinyl top. Recessed edges, which enables the table to be cleaned easily. The 50mm twin wheel castors allow the table to be easily moved away from the bed when not in use.	Length 800mm Overall Width 400mm Minimum Height 710mm Maximum Height 1050mm Height of Castor Wheels 50mm	

BROBT03 Overbed Table - Split Top Tilt Recessed Thermoform top to prevent Height: 780 - 1140mm Yes Width: 430mm spills Lightweight mobile tilting table positions Length: 800mm over bed or chair Can be used for eating, drawing or other activities Angle adjustable to 45 degrees, ideal for homecare environment Side table does not tilt, suitable for drink and food Fully height adjustable "C" base shape fitted with four castors enables close positioning to the bedside or chair Stylish cream colour finish Powder coated mild steel frame construction **Self Help Poles/Ladders** Bed Cradle - Adjustable Height The bed cradle is designed to keep bed Height adjustable 440 -Yes **BRBCA01** linen off sensitive areas of the patient's 640 mm lower leg or feet by creating clearance between bed linen and the mattress The lower frame slides underneath the mattress, securing the cradle to the bed, while the upper frame is positioned horizontally over the lower limbs Bedding is then placed over the frame to remove any weight or pressure from the sensitive limbs below Height adjustable frame allows the user to customise the space between mattress surface and bedding

BRBL01	Yes	Bed Ladder	A solution for clients who have physical difficulties sitting up in or getting out of bed Step by step they gradually pull themselves up from a lying to a sitting position The action involved also strengthens the stomach and arm muscles of the user Can also be used to assist in transfers from wheelchairs to beds Plastic ladder rungs give a firm and safe grip Cord ends tie around the bed legs Suitable for single or double beds	Rung Width 195mm Rung Diameter 25mm Cord Length 3m (to first rung)	
BRSHP01	Yes	Self Help Pole - Freestanding	Free standing support handle provides assistance for the user to reposition or transfer in and out of bed Handle height is easily adjusted to suit the user Sits behind or beside the bed	Safe work load 150kg	

Ver 30.09	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver 3			MOBILITY AIDS Rollator Frames			
	MARFMIN	Yes	Rollator Walking Frame - Mini	Provides support to assist a person to walk who has difficulty due to balance, pain or injury. Frames comes set up with 2 wheels at the front and 2 skis at the back for easier maneuvering. Frame folds up flat for transporting.	Max height 82cm Min height 72cm. Max user weight. 150kg	
	MARFST	Yes	Rollator Walking Frame - Standard 5 inch wheels	Provides support to assist a person to walk who has difficulty due to balance, pain or injury. Frames comes set up with 2 wheels at the front and 2 skis at the back for easier maneuvering. Frame folds up flat for transporting.	Adjustable height 810 - 910mm. Overall width 670mm. Width between handles 430mm Depth 500mm. Recommended mainly for indoor use Max user weight. 150kg	
	MARFBA	Yes	Rollator Walking Frame - Bariatric 227kgs	Oversize frame, wider and deeper to accommodate individuals up to 227kgs Provides support to assist a person to walk who has difficulty due to balance, pain or injury. Frames comes set up with 2 wheels at the front and 2 skis at the back for easier maneuvering. Frame folds up flat for transporting.	Maximum user weight: 227kg Height adjustable: 32.5"~39.5" with 5 wheels	AA
			Pick Up Walking Frames			

MAPWFMN	Yes	Pick Up Walking Frame - Mini	Height adjustable Folds flat for easy storage and transportation Foam handles Lightweight aluminium Tip size 28mm	Handle Height 700 - 805mm Max Base Size 630 x 500mm Weight 2.5kg Max user weight 150kg	
MAPWFST	Yes	Pick Up Walking Frame Standard	Folding aluminium frame with foam rubber hand grips.	Adjustable height 770 - 940mm with rubber ferrules on all 4 legs. Width 455mm, Depth 400mm.	
MAPWFBA	Yes	Pick-up Walking Frame - Bariatric 227kgs	Oversize frame design provides wider and deeper to accommodate individuals up to 227kgs Precision design provides additional strength while adding minimal weight	Maximum user weight 227kgs Height adjustable: 32.5"~39.5"	
		Walking Sticks			

MAWSTH	Yes	Walking Sticks - T Handle	T shaped handle, single point, adjustable. To provide support people who have difficulty walking due to balance problems, pain or injury.  The height of the stick can be adjusted to match the height of the user an important feature when selecting the stick that is right for you. Adjust the height of the telescopic leg with the push of a button. The tip of the stick is covered in a solid rubber tip, which can be replaced should it show signs of wear after prolonged use.	user height: 5' 3" - 6' 1" Rubber tip/ferrule: 19 mm Product weight: 300 gm Maximum user weight capacity: 114 kg	
MAWSB01	Yes	Walking Stick - Bariatric - 225 Kg	This sturdy steel walking stick provides support to a person who has difficulty walking due to balance problems, pain or injury.  The height of the stick can be adjusted to match the height of the user an important feature when selecting the stick that is right for you. Adjust the height of the telescopic leg with the push of a button. The tip of the stick is covered in a solid rubber tip, which can be replaced should it show signs of wear after prolonged use.	Rubber Hand Grip Handle Height: 73 cm - 96 cm (25 mm Increments) Approximate User Height: 5' 2" - 6' 1" Rubber tip/ferrule: 22 mm Maximum user weight capacity: 225 kg	

MAWSCH	Yes	Walking Stick - Crook Handle	To provide support people who have difficulty walking due to balance problems, pain or injury. Constructed from aluminium to allow durability and strength whilst being light in weight.  The height of the stick can be adjusted to match the height of the user an important feature when selecting the stick that is right for you. Adjust the height of the telescopic leg with the push of a button. The tip of the stick is covered in a solid rubber tip, which can be replaced should it show signs of wear after prolonged use.		
MAWSEL	Yes	Walking Stick - Ergonomic - Left Hand	Anatomical Walking StickConstructed from aluminium to allow durability and strength whilst being light in weight. Supplied with anti-slip rubber tip. This walking stick is available in both a left hand and right hand option to ergonomically fit the natural shape of the user's hand for maximum comfort and ease of use.	Height adjustment range: 760mm - 990mm	

MAWSER	Yes	Walking Stick - Ergonomic - Right Hand	Anatomical Walking StickConstructed from aluminium to allow durability and strength whilst being light in weight. Supplied with anti-slip rubber tip. This walking stick is available in both a left hand and right hand option to ergonomically fit the natural shape of the user's hand for maximum comfort and ease of use.	:Height adjustment range: 760mm - 990mm	
MAWSF	Yes	Walking Stick - Folding	A lightweight, aluminium walking stick with compact folding mechanism for convenient storage. The stick folds and unfolds simply and easily, making it ideal for everyday use or travel.  The height of the stick can be adjusted to match the height of the user an important feature when selecting the stick that is right for you. Adjust the height of the telescopic leg with the push of a button. The tip of the stick is covered in a solid rubber tip, which can be replaced should it show signs of wear after prolonged use.	walking stick height adjustable easy to collapse and unfold maximum user weight 113kg black colour	

MAWSSN Yes	Walking Stick - (Swan neck) with strap	To provide support people who have difficulty walking due to balance problems, pain or injury. Constructed from aluminium to allow durability and strength whilst being light in weight.  The height of the stick can be adjusted to match the height of the user an important feature when selecting the stick that is right for you. Adjust the height of the telescopic leg with the push of a button. The tip of the stick is covered in a solid rubber tip, which can be replaced should it show signs of wear after prolonged use.	Tube size: Upper tube 22.2mm, lower tube (telescopic) 19mm Rubber tip (Outer size Ø38XH48; Inner sizeØ18.5xD34) Maximum User Weight: 113kg Colour: Silver	
MAWSSNS Yes	Walking Stick - (Swan neck) without strap  Quad Sticks	To provide support people who have difficulty walking due to balance problems, pain or injury. Constructed from aluminium to allow durability and strength whilst being light in weight.  The height of the stick can be adjusted to match the height of the user an important feature when selecting the stick that is right for you. Adjust the height of the telescopic leg with the push of a button. The tip of the stick is covered in a solid rubber tip, which can be replaced should it show signs of wear after prolonged use.	Tube size: Upper tube 22.2mm, lower tube (telescopic) 19mm Rubber tip (Outer size Ø38XH48; Inner sizeØ18.5xD34) Maximum User Weight: 113kg Colour: Silver	

MAQSS01	Yes	Quad Stick Small - 15cm x 20cm	This lightweight aluminium quad base walking stick is suitable for a user with limited mobility who requires a four point base for extra stability. The offset foam handle can rotate for left or right hand use. It is adjustable in height, wrist strap provided,	Handle height: 74 cm - 97 cm ( 25 mm increments) Soft foam handgrip Base: 20 cm x 15 cm Rubber tips/ferrule: 13 mm Product weight: 800 gm Maximum user weight: 114 kg	
MAQSL01	Yes	Quad Stick Large - 17cm x 28cm	This lightweight aluminium quad base walking stick is suitable for a user with limited mobility who requires a four point base for extra stability. The offset foam handle can rotate for left or right hand use. It is adjustable in height, wrist strap provided,	Handle height: 76 cm - 98 cm ( 25 mm increments) Soft foam handgrip Base: 28 cm x 17 cm Rubber tips/ferrule: 16 mm Product weight: 800 gm Maximum user weight capacity: 113 kg	
MAQSOSL	Yes	Quad Stick - Off Set - 23 x 39cm  4 Wheel Walkers	This lightweight aluminium quad base walking stick is suitable for a user with limited mobility who requires a four point base for extra stability. The offset foam handle can rotate for left or right hand use. It is adjustable in height, wrist strap provided, Adjustable height, larger base.	Height 795-1020mm Base width 230mm Base Depth 390mm Tip size 16mm SWL 75kg	

MA4WMI	Yes	4 Wheel Walker - CAREQUIP MINI	Frame and backrest fold compact for storage and transportation Height adjustable handles Narrow frame and low seat height ideal for the smaller client, or where space is limited Handbrakes can be locked for added stability Supplied with removable backrest, vinyl bag and padded seat Walker can be folded with vinyl bag still attached Curved padded backrest for additional comfort and support *Note: Product comes with a vinyl bag and not a basket as pictured.		
MA4WSB	Yes	4 Wheel Walker - STANDARD BLUE	Frame and backrest fold compact for storage and transportation Height adjustable handles Soft-lock handbrakes Curved padded backrest for additional comfort and support Supplied with vinyl bag and padded seat Walker can be folded with vinyl bag still attached	Seat height 525mm Seat width 350mm Max user weight 130kg Unit weight 5.9kg	

MA4WSR	Yes	4 Wheel Walker - STANDARD RED	Frame and backrest fold compact for storage and transportation Height adjustable handles Soft-lock handbrakes Curved padded backrest for additional comfort and support Supplied with vinyl bag and padded seat Walker can be folded with vinyl bag still attached	Seat height 525mm Seat width 355mm Max user weight 130kg Unit weight 5.9kg	
MA4WRE	Yes	4 Wheel Walker - DAYS RED	The Days 100 Series aluminium frame ensures a combination of lightweight design and robust build quality with a maximum user weight of 125kg. 6" wheels Ergonomic handgrips to make them easy to grip. Adjustable height handles with 5 settings at 25mm intervals Rest Seat Storage Bag Loop lockable brakes provide added security and convenience. The brake tension can also be easily adjusted to suit requirements Foldable backrest Folds easily for storage & transport - simply fold together by pulling the strap on the seat	Max User Weight: 125kg Seat Height: 500mm Seat Width: 350mm Seat Depth: 320mm Width Between Arms: 460mm Backrest Height: 750mm Overall Height: 755- 875mm Overall Width: 620mm Overall Depth: 640mm Backrest: Straight, folding Wheel: 6" Tyre: PVC Net Weight: 6kg	

MA4WBSR Yes

DAYS Walker Boxed -ADJUSTABLE Standard Red Easy to assemble - no tools required
Retail carrying box with handle
Height adjustable seat and handles
Padded seat with storage compartment
bag underneath
Padded backrest
Hand operated brake system

Max User Weight: 136kg with foldable backrest Seat Height: 500 -

600mm

Seat Width: 356mm Seat Depth: 305mm Overall Height: 785 -

1000mm

Overall Width: 622mm Overall Depth: 680 -

800mm

Width Between Handles:

460mm

Backrest: Curved, folding

Wheel: 7.5" Tyre: PVC, Black Net Weight: 7.4kg



MA4WBSB Yes

DAYS Walker Boxed-ADJUSTABLE Standard Blue Easy to assemble - no tools required
Retail carrying box with handle
Height adjustable seat and handles
Padded seat with storage compartment
bag underneath
Padded backrest
Hand operated brake system

Max User Weight: 136kg with foldable backrest Seat Height: 500 -

600mm

Seat Width: 356mm Seat Depth: 305mm Overall Height: 785 -

1000mm

Overall Width: 622mm Overall Depth: 680 -

800mm

Width Between Handles:

460mm

Backrest: Curved, folding

Wheel: 7.5" Tyre: PVC, Black Net Weight: 7.4kg



MA4WLB Yes

4 Wheel Walker - BLUE (LARGE 8" wheels WHEELS) Ergonomic

Ergonomic handgrips and adjustable

height handles Rest Seat Storage Bag

Loop lockable brakes Foldable backrest

Folds easily for storage & transport

Max User Weight: 125kg Seat Height: 565mm Seat Width: 350mm

Seat Depth: 320mm Width Between Arms:

460mm

Backrest Height: 800mm Overall Height: 840-

940mm

Overall Width: 620mm Overall Depth: 645mm

Backrest: Straight, folding

Wheel: 8" Tyre: PVC

Net Weight: 7.2kg



MA4WLG Max User Weight: 125kg 4 Wheel Walker - GOLD (LARGE 8" wheels Yes Ergonomic handgrips and adjustable WHEELS) Seat Height: 565mm height handles Seat Width: 350mm **Rest Seat** Seat Depth: 320mm Storage Bag Width Between Arms: Loop lockable brakes 460mm Backrest Height: 800mm Foldable backrest Folds easily for storage & transport Overall Height: 840-940mm Overall Width: 620mm Overall Depth: 645mm Backrest: Straight, folding Wheel: 8" Tyre: PVC Net Weight: 7.2kg **MA4WHD** Yes 4 Wheel Walker - HEAVY DUTY To provide support and stability whilst Max User Weight: 200kg walking. Seat lifts up to allow for storage Seat Height: 570mm Seat Width: 495mm in basket below 7.5" wheels Seat Depth: 355mm Adjustable height handles Overall Height: 855 -Rest seat 975mm Overall Width: 735mm Storage bag Loop lockable brakes Overall Depth: 655mm Folds easily for storage & transport Backrest: Curved Wheel: 7.5" Screen reader support enabled. Tyre: PVC, Black Net Weight: 8.8kg Screen reader support enabled.

**MA4WPD** 

Yes

4 Wheel Walker -PUSH DOWN **BRAKES** 

To provide support and stability whilst walking. Seat lifts up to allow for storage in basket below. The unique brake system Height 945mm max is activated by pushing down on the handles or whenever you sit on the seat. The robust yet lightweight alloy frame has Width 575mm tube-in-tube construction for increased strength and longer lifespan. The castors are made from solid rubber, making them free from punctures. They are designed for easy operation and good manoeuvrability especially on indoor surfaces. Their slightly smaller size makes them especially good for negotiating doorways or tight spaces. The orthopedic moulded handgrips are designed to contour entirely to your hand, minimising stress or strain to the wrist. The height of the handles is easy to adjust, with an extension range of 13 cm to ensure that the handles can be set to best match the height of the user. With a compact fold down design, this

walker is easy to transport or store when

not in use.

Suitable for people up to 130 kilograms in weight. 810mm min Length 610mm Seat Depth 310mm Seat Width 360mm Seat height 557mm Folded width 215mm Castor size 153mm



MA4WGST	Yes	Gutter Frame
		Tri Walkers

Sturdy wheeled walking frame for indoor mobility training and rehabilitation.

Designed for users who require the ability to weight bear through the forearms.

Available in both non folding and folding models.

Note: Not designed to help users stand from a seated position

Forearm cuff height: 93 cm - 123 cm (25 mm increments)
Width: Front 40 cm /
Rear 60 cm
Front swivel wheels and rear ski's for maneuverability
Adjustable hand grips to suit users forearm length Maximum user weight capacity: 110 kg



MA3WW	Yes		The Aluminium Tri Wheel Walkers have a lightweight aluminium frame that makes these walkers extremely easy to manouevre making them ideal for use indoors or out.	Ergonomic handgrips for optimum comfort Adjustable height handles with 5 settings at 25mm intervals Loop lockable brakes provide added security and convenience. The brake tension can also be easily adjusted to suit requirements Vinyl bag supplied as standard Folds easily for storage or transport using the simple easy to grab pull handle Supplied with basket and tray.	
		Crutches			
MACRL01	Yes	Crutches Axillary Large	Aluminium, push button adjustable height axilla crutches with rubber ferrules.	Maximum User Weight - 136kg 135 - 155cm	

MACRM01	Yes	Crutches Axillary Medium	Aluminium, push button adjustable height axilla crutches with rubber ferrules.	Maximum User Weight - 136kg 114 - 135cm	
MACRS01	Yes	Crutches Axillary Youth/Small	Durable and strong, these Aluminium Underarm Crutches are constructed from high tensile extruded aluminium making them both lightweight and very strong. Fitted with high quality rubber tips for stability. Colour Grey. Maximum User Weight - 136kg	Maximum User Weight - 136kg 94 - 114cm	
MACREM1	Yes	Elbow Crutches Medium	Durable and strong, these Forearm Crutches are constructed from high tensile extruded aluminium, making them both lightweight and very strong. Fitted with high quality rubber tips for stability.	Maximum User Weight - 160kg 89 - 120cm	7

		high tensile extruded aluminium making them both lightweight and very strong. Ergonomic palm grip offers pressure distribution for maximum comfort. Fitted with high quality rubber tips for stability.  Both hand to floor and palm grip to arm cuff sections are adjustable.	Hand Grip Height - 66 - 94cm, Arm Ring Adjustment- 20.5 - 27.5cm	
MACRERL Yes	Elbow Crutches Large Ergonomic Grip  Electric Scooters	Durable and strong, these Ergonomic Grip Forearm Crutches are constructed from high tensile extruded aluminium making them both lightweight and very strong. Ergonomic palm grip offers pressure distribution for maximum comfort. Fitted with high quality rubber tips for stability. Both hand to floor and palm grip to arm cuff sections are adjustable.	Maximum User Weight - 160kg Hand Grip Height - 83 - 111cm, Arm Ring Adjustment- 20.5 - 27.5cm	

PMAES745 745 Plus No

Stylish eye catching design with attractive Max speed: modern colour range Range:

This new design offers generous foot space & leg room, also with large battery capacity

Loop handlebars offer comfortable finger or thumb throttle operation Adjustable high back contoured seat with simple operation of slide and swivel mechanisms to allow maximum user comfort

Infinite adjustment of steering tiller allowing everyone to easily find a comfortable position

High mount charger socket means easy access when charging

11" wheels which provide extra ground clearance

Adjustable suspension to give maximum comfort

4 pole motor delivering more power Adjustable power saving LED headlight, indicators front and rear, rear tail lights and brake lights Built in speed reduction switch which is

Built in speed reduction switch which is activated when turning offering exceptional safety.

Max speed: 10kph
Range: 30-40km
Weight: 98kg
SWL: 150kg



**PMAESF** Stylish new modern design with a modesty Max speed: 10kph No Fende panel, giving this scooter a smart and 30km Range: attractive look Weight: 114.5kg Adjustable prestige car-like front & rear SWL: 136kg suspension delivers a smooth ride over varied terrain Comfortable and contoured leather feel high back seat with slide, swivel, recline and adjustable armrests Unique battery storage design, allowing for greater floor space and a secure lockable storage area for personal items New modern LCD dashboard display, making reading the battery, speed, time & temperature gauges clear and easy LED lighting system delivers brighter illumination with less power consumption Built-in speed reduction switch, which is activated when turning offering exceptional safety With new easy to access 12 volt socket (for phone or GPS)

MACRM01	No	Pegasus Pro	performance. Ideal for longer trips into Fitown or afternoons driving around the park V	Max speed: Range: Weight: SWL:	10kph 52km 136kg 160kg		
---------	----	-------------	---	---	---------------------------------	--	--

Ver 30.09	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver			WHEELCHAIRS			
			Self Propelled Wheelchair			
	WCSP14S	Yes	Self-Propelled 14" SWIFT	The Days Swift Self-Propelled 14" Wheelchair has been designed to be a light, practical and easy to transport wheelchair, making it an ideal occasional use chair for both indoor and outdoor use. Its compact dimensions allow good manoeuvrability indoors & the light construction and ease to fold for storage or transport make it a very versatile chair.	Light frame 7.8kg Folding backrest (for storage or transport) Quick release wheels (for transport) Fixed arms Swing away and removable leg rests Solid tyres (no maintenance required) Extended brake handle (ease of brake application) Maximum User Weight: 80kg	

WCSP16L	Yes	Self-Propelled 16" LINK SPECIAL ORDER	Days Premium Link Wheelchair is a lightweight adaptable wheelchair suitable for full-time users and is designed for maximum practicality and adjustability.	Light weight aluminium - 17.2kg • Quick release wheels • Solid tyres • 16" seat width • Swing in/out legrests • Swing back removable armrests • Height adjustable back upholstery • Adjustable castors • Multi position rear wheels • Anti-tipper comes as standard inclusion	
WCSP16S	Yes	Self-Propelled 16" SWIFT	The Days Swift Self-Propelled Wheelchair with Handbrakes has been designed to be a light, practical and easy to transport wheelchair, making it an ideal occasional use chair for both indoor and outdoor use. Its compact dimensions allow good manoeuvrability indoors & the light construction and ease to fold for storage or transport make it a very versatile chair.	Quick release wheels (for transport) Fixed arms Swing away and removable	

WCSP18L Yes

Self-Propelled 18" LINK

Days Premium Link Wheelchair Light weight aluminium is a lightweight adaptable wheelchair suitable for full-time users and is designed for maximum practicality and adjustability.

17.2kg

- Quick release wheels
- Solid tyres
- 18" seat width
- Swing in/out legrests
- Swing back removable armrests
- Height adjustable back upholstery
- Adjustable castors
- Multi position rear wheels Can fit stump supports
- Drum brakes on the 20"-22"
- Anti-tipper comes as standard inclusion



WCSP18S

Yes

Self-Propelled 18" SWIFT

The Days Swift Self-Propelled Wheelchair with Handbrakes has been designed to be a light, storage or transport) practical and easy to transport wheelchair, making it an ideal occasional use chair for both indoor and outdoor use. Its compact dimensions allow good leg rests manoeuvrability indoors & the light construction and ease to fold for storage or transport make it a very versatile chair.

Light frame 7.8kg Folding backrest (for Quick release wheels (for transport) Fixed arms Swing away and removable Solid tyres (no maintenance required) Handbrakes for added

Extended brake handle (ease of brake application) Maximum User Weight:

safety\*

115kg



WCSP18W Yes

Self-Propelled 18" WHIRL

The Healthcare Whirl is a versatile wheelchair with a range of features to accommodate different user needs. This sleek and stylish wheelchair is practical and will look good when you are out and Height - Front: 500mm \* about. Features: Quick release Seat Height - Rear: 475mm wheels (for transport) Removable armrests Swing away and removable leg rests Solid tyres (no maintenance required)

Specifications: \* Weight: 16.8kg (complete) \* User Weight: 120kg \* Seat Width: 450mm \* Seat Depth: 430mm \* Backrest Height: 440mm \* Seat \* Front Castor Wheel: 8" x 1" PU \* Rear Wheel: 24" x 1 3/8" PU \* Overall Width: 640mm \* Upholstery Nylon (Flame Retardant) \* Colour: Silver Warranty: 12 months on frame & crossbars



WCSP20L	Yes	Self-Propelled 20" LINK SPECIAL ORDER	Days Premium Link Wheelchair is a lightweight adaptable wheelchair suitable for full-time users and is designed for maximum practicality and adjustability.	Light weight aluminium - 17.2kg  • Quick release wheels  • Solid tyres  • 16", 18", 20" and 22" seat widths available  • Swing in/out legrests  • Swing back removable armrests  • Height adjustable back upholstery  • Adjustable castors  • Multi position rear wheels  • Drum brakes on the 20"- 22"  • Anti-tipper comes as standard inclusion	
WCSP20M	Yes	Self-Propelled Bariatric 20" MERITS	Reinforced double cross-brace for extra strength with weight capacity of 182kg Detachable full length armrests Detachable swing away leg rests with oversize footplates, with optional elevating leg rests 24" x 1.3/8" puncture free foam filled tyres	Overall Width 73.5cm(20") Overall Length 123cm Overall Height 91 cm Seat Width 48cm(20") Seat Depth 46cm Seat height from ground 49cm Seat Back Height 40cm Footrest Length Adjustment 37cm – 50cm Armrest Height 23cm Weight Capacity 182kg Total weight 15.5kg(20")	

WCSP22M Reinforced double cross-brace Yes Self-Propelled Bariatric 22" Overall Width 78.5cm(22") MERITS for extra strength with weight Overall Length 123cm capacity of 182kg Overall Height 91 cm Seat Detachable full length armrests Width 56cm(22") Seat Detachable swing away leg Depth 46cm Seat height rests with oversize footplates. from ground 49cm Seat with optional elevating leg Back Height 40cm Footrest rests Length Adjustment 37cm -24" x 1.3/8" puncture free foam 50cm Armrest Height 23cm filled tyres Weight Capacity 182kg Total weight 16.5kg(22") WCSP16B1 Self-Propelled Breezy 16" with The Breezy BasiX2 is a Yes Seat Width: 38 - 52cm solid Tyres and Fixed lightweight folding wheelchair Seat Depth: 41 - 46cm that features amazing Seat Height: 42.5 - 51cm armrests. adjustability and rigidity, Seat Angle: 0 - 6 degrees combined with a modern and Backrest Height: 41 - 46cm clean look. Adjustments and SWL: 125kg Total Weight: 14.9Kg stump supports available for amputee set up. Recent Improvements include greater seat depth adjustment (41cm to 46cm), a tension adjustable backrest which is extendable from 41cm to 46cm and a more robust, rigid castor attachment (0, 3 and 6 degrees).

WCSP16B2

Yes

Self-Propelled Breezy 16" with The Breezy BasiX² is a pneumatic Tyres and Fixed lightweight folding whee armrests.

The Breezy BasiX² is a lightweight folding wheelchair that features amazing adjustability and rigidity, combined with a modern and clean look. Adjustments and stump supports available for amputee set up.

Recent Improvements include greater seat depth adjustment (41cm to 46cm), a tension adjustable backrest which is extendable from 41cm to 46cm and a more robust, rigid castor attachment (0, 3 and 6 degrees).

Seat Width: 38 - 52cm Seat Depth: 41 - 46cm Seat Height: 42.5 - 51cm Seat Angle: 0 - 6 degrees Backrest Height: 41 - 46cm

SWL: 125kg



WCSP16B3

Yes Self-Propelled Breezy 16" with The Breezy BasiX² is a solid Tyres and Adjustable lightweight folding whee armrests.

The Breezy BasiX² is a lightweight folding wheelchair that features amazing adjustability and rigidity, combined with a modern and clean look. Adjustments and stump supports available for amputee set up.

Recent Improvements include greater seat depth adjustment (41cm to 46cm), a tension adjustable backrest which is extendable from 41cm to 46cm and a more robust, rigid castor attachment (0, 3 and 6 degrees).

Seat Width: 38 - 52cm Seat Depth: 41 - 46cm Seat Height: 42.5 - 51cm Seat Angle: 0 - 6 degrees Backrest Height: 41 - 46cm

SWL: 125kg



WCSP18B1

Yes

Self-Propelled Breezy 18" with solid Tyres and Fixed lightweight folding whee armrests.

The Breezy BasiX² is a lightweight folding whee that features amazing

The Breezy BasiX² is a lightweight folding wheelchair that features amazing adjustability and rigidity, combined with a modern and clean look. Adjustments and stump supports available for amputee set up.

Recent Improvements include greater seat depth adjustment (41cm to 46cm), a tension adjustable backrest which is extendable from 41cm to 46cm and a more robust, rigid castor attachment (0, 3 and 6 degrees).

Seat Width: 38 - 52cm Seat Depth: 41 - 46cm Seat Height: 42.5 - 51cm Seat Angle: 0 - 6 degrees Backrest Height: 41 - 46cm

SWL: 125kg



WCSP18B2

Yes Self-Propelled Breezy 18" with The Breezy BasiX² is a pneumatic Tyres and Fixed lightweight folding whee armrests.

The Breezy BasiX² is a lightweight folding wheelchair that features amazing adjustability and rigidity, combined with a modern and clean look. Adjustments and stump supports available for amputee set up.

Recent Improvements include greater seat depth adjustment (41cm to 46cm), a tension adjustable backrest which is extendable from 41cm to 46cm and a more robust, rigid castor attachment (0, 3 and 6 degrees).

Seat Width: 38 - 52cm Seat Depth: 41 - 46cm Seat Height: 42.5 - 51cm Seat Angle: 0 - 6 degrees Backrest Height: 41 - 46cm

SWL: 125kg



WCSP18B3

Yes Self-Propelled Breezy 18" with The Breezy BasiX² is a solid Tyres and Adjustable lightweight folding whee armrests.

The Breezy BasiX² is a lightweight folding wheelchair that features amazing adjustability and rigidity, combined with a modern and clean look. Adjustments and stump supports available for amputee set up.

Recent Improvements include greater seat depth adjustment (41cm to 46cm), a tension adjustable backrest which is extendable from 41cm to 46cm and a more robust, rigid castor attachment (0, 3 and 6 degrees).

SWL: 125kg Weight: 14.9kg

Seat Width: 38 - 52cm Seat Height: 42.5 - 51cm Seat Depth: 41 - 46cm



**Transit Wheelchairs** 

WCTR14A	Yes	Transit Wheelchair 14" ASPIRE	The Transit 2 – is designed for an individual or facility who requires a robust chair that will meet the rigorous demands of the community and healthcare environments.  Swing away and removable arm rests – this facilitates user transfers and also makes for easier transport and storage.	SWL: 140kg Weight: 16.4kg	
WCTR16A	Yes	Transit Wheelchair 16" ASPIRE	The Transit 2 – is designed for an individual or facility who requires a robust chair that will meet the rigorous demands of the community and healthcare environments.  Swing away and removable arm rests – this facilitates user transfers and also makes for easier transport and storage.	SWL: 140kg Weight: 16.6kg	

WCTR16E

Yes

Transit Wheelchair 16" **ESCAPE** 

With a foldable aluminium frame, the Escape has been specially designed for ease of transportation and storage, making it an ideal chair for occasional use. Suitable for both indoors and out, it gives you flexibility wherever you go.

In addition to being portable, these attendant-propelled chairs 400mm offer both comfort and practicality. With a full-length armrest, padded upholstery and Backrest Height (from the detachable swing-away footrests, they provide all the basic comfort necessities. Peace of mind and low maintenance are provided by the puncture-proof tyres.

Seat Height - Front (from the ground): 510mm Seat Height - Rear (from the ground): 490 Seat Width (on the outside of the tubes): 450mm Seat Width (on the inside of

the tubes): 400mm Seat Depth: 400mm Width Between Arms:

Armrest Height Above Seat:

230mm

seat): 400mm

Footrest Length (from seat to surface of footrest): 350-

450mm



WCTR18S

Yes

Transit Wheelchair 18inch **SWIFT** 

The Days Swift Transit Attendent Propelled Wheelchair Folding backrest (for has been designed to be a light, storage or transport) practical and easy to transport wheelchair, making it an ideal occasional use chair for both indoor and outdoor use. Its compact dimensions allow good required) manoeuvrability indoors & the light construction and ease to fold for storage or transport make it a very versatile chair. Attendant propelled in one size.

Light frame 7.8kg Fixed arms Swing away and removable leg rests Solid tyres (no maintenance Extended brake handle

(ease of brake application)



WCTR18W WCTR20A

Transit Wheelchair 18" WHIRL The Healthcare Whirl is a

versatile wheelchair with a range of features to accommodate different user needs. \* This sleek and stylish wheelchair is practical and will look good when you are out and Height - Front: 500mm \* about. Features: \* Quick release Seat Height - Rear: 475mm wheels (for transport) \* Removable armrests \* Swing away and removable leg rests \* Solid tyres (no maintenance required)

Specifications: \* Weight: 16.8kg (complete) \* User Weight: 120kg \* Seat Width: 450mm \* Seat Depth: 430mm \* Backrest Height: 440mm \* Seat \* Front Castor Wheel: 8" x 1" PU \* Rear Wheel: 24" x 1 3/8" PU \* Overall Width: 640mm \* Upholstery Nylon (Flame Retardant) \* Colour: Silver Warranty: 12 months

on frame & crossbars



Yes

Yes

Transit Wheelchair 20" **ASPIRE** 

The Transit 2 – is designed for an individual or facility who requires a robust chair that will meet the rigorous demands of the community and healthcare environments.

Swing away and removable arm rests - this facilitates user transfers and also makes for easier transport and storage.

SWL: 140kg Weight: 17.9kg



**Stump Supports** 

WCAMSSRB	Yes	BREEZY Stump Support - RIGHT	This wheelchair Accessory stump support replaces the footrest in the Breezy Basix wheelchair.
WCAMSSLB	Yes	BREEZY Stump Support - LEFT	This wheelchair Accessory stump support replaces the footrest in the Breezy Basix wheelchair.





Ver 30.09	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
er 3			OLIAIDO AND OFATINO			
>			CHAIRS AND SEATING Foot Stools			
	CSFS01	Yes	Foot Stool / Leg Rest	The Legrest Stool is height adjustable, designed with a 10 degree angle for comfort and support and should be placed with the higher end against the chair.	Seat Pad 400mm x 500mm x 40mm Height Adjustable 420mm - 570mm Maximum User Weight 160kg	
			Kitchen Stools			
	CSKPSWA	Yes	Kitchen Perching Stool - With Arms	Ideal for use in the kitchen, or any activity where a perched seating position is of assistance Height adjustable Padded seat and backrest Integrated arm supports assist transfers Vinyl upholstery	Width Between Arms: 455mm Seat Depth: 300mm Seat to Top of Backrest: 300mm Leg Height Adjustment: 500mm Floor to Seat: 635mm Maximum User Weight: Up to 100kg	
			<b>Utility Chairs</b>			
	CSLBCWA	Yes	Low Back Utility Chair	The Standard Utility Chair features a contoured backrest, padded armrests, vinyl upholstery, adjustable height, and a powder coated steel frame. The adjustable height assists users who struggle to get out of standard chairs.	Overall Width 580mm Seat Width 455mm Seat Depth 460mm Seat Height 450 - 600mm Back Height 465mm Maximum User Weight 160kg	

CSHBCWA	Yes	High Back Utility Chair	This chair can be used in a lounge room instead of a couch or regular armchair that is too low to get in and out of with ease. Ffeatures a contoured backrest, padded armrests, vinyl upholstery, adjustable height, and a powder coated steel frame. Available in Teal/Blue and Mocha.	605mm 730mm	
СЅНВСВ	Yes	High Back Utility Chair - Bariatric	This chair can be used in a lounge room instead of a couch or regular armchair that is too low to get in and out of with ease. Wider seat widths and reinforced frames to suit the bariatric client Adjustable height and seat depth Contoured backrest Powder coated steel frame	Upholstery Champagne Vinyl Seat Width 600mm Seat Depth 490-550mm Seat Height 430- 580mmm Arm Height 250mm Back Height 740mm Overall Width 800mm Max User Weight 300kg	

**CSAPCL** Footrest - Large

Chair Air Deluxe Bed Adult with Cushioned adjustable air cell support has been incorporated into the design. The four lateral support wings fold away for easy transferring of the patient. This chair has a reclinable seat Overall Length: 135 along with an adjustable backrest and calf rest, tray, neck support and footplate. The frame is completely constructed from sturdy stainless steel. Table Size: 60 x 40.5 x Features: Adjustable calf rest Reclinable seat

Air system for pressure relief Full stainless steel frame Three lockable castors and one steering castor (non-marking) Breathable polyurethane cover (fire retardant) Replaceable and easy to clean cover

Four folding wings Standard dining tray Magazine pocket

Seat Height: 63cm Seat Width: 51cm Seat Depth: 50cm Overall Width: 73cm

188cm

Table to Floor: 88cm Table Slide: 23cm

2cm

Back Reclining: 102° -

136°

Seat Tilting: 0 - 18°

Leg Elevating: 70° down

to 5° up

Weight of Chair: 43.5kg Maximum User Weight:

120kg

Warranty: 1 year



CSPLRA1	No	Monarch Chair ( PETITE SINGLE MOTOR)	Seamed backrest provides additional lumbar support Padded legrest is synchronised with the backrest Full chaise pad provides additional legrest support and comfort Supplied with magazine pocket Hand held controller is simple to use Rise or recline motion stops at any point when button is released	Petite Seat Width 480mm Seat Depth 400mm Seat Height 460mm Arm Height 140mm Back Height 620mm Overall Width 780mm Max User Weight 130Kg	
CSPLRA3	No	Monarch Chair (SINGLE MOTOR)	Seamed backrest provides additional lumbar support Padded legrest is synchronised with the backrest Full chaise pad provides additional legrest support and comfort Supplied with magazine pocket Hand held controller is simple to use Rise or recline motion stops at any point when button is released	Standard Seat Width 550mm Seat Depth 460mm Seat Height 500mm Arm Height 190mm Back Height 680mm Overall Width 820mm Max User Weight 130Kg	

Monarch Chair (DUAL MOTOR)  Seamed backrest provides additional lumbar support  Padded legrest is synchronised with the backrest  Full chaise pad provides additional legrest support and comfort  Supplied with magazine pocket  Hand held controller is simple to use  The dual motor provides independent control of backrest and legrest.  Standard  Seat Width 550mm  Seat Height 500mm  Arm Height 190mm  Back Height 680mm  Overall Width 820mm  Max User Weight 130Kg	
---	--

000111150		Mary fair Obair - Diagle (OD) OF	The Oaked Markein Oheir fact	Ot and and	
CSSMMFB	No	Mayfair Chair - Black (SINGLE MOTOR - SPACE SAVER)	The Select Mayfair Chair features a very comfortable 3 Section Waterfall Backrest Design for Optimum Comfort and Upper, Middle and Lower back support.	Standard Seat Width 520mm Seat Depth 480mm Seat Height 480mm Overall Width 850mm	
			Quality Fooms and no Sag anrings	Max User Weight 150Kg	
			Quality Foams and no Sag springs provide supreme Postural Support.		
			Backup Power Supply.		
			Featuring quality Actuators and		
			American Branded Mechanisms means quiet motors for a Smooth & Discreet Operation.		
			Operation.		

Mayfair Chair - Vanilla (SINGLE MOTOR - SPACE SAVER)  Mayfair Chair - Vanilla (SINGLE MOTOR - SPACE SAVER)  Motor - Space Savery comfortable 3 Section Waterfall Backrest Design for Optimum Comfort and Upper, Middle and Lower back support.  Quality Foams and no Sag springs provide supreme Postural Support.  Backup Power Supply.  Featuring quality Actuators and American Branded Mechanisms means quiet motors for a Smooth & Discreet Operation.  Standard Seat Width 520mm Seat Height 480mm Overall Width 850mm Max User Weight 150Kg	
--	--

**CSDPRPT** 

Drive Portland Recliner PETITE The Portland Riser Recliner Lift Chair is Height: 101cm (DUAL MOTOR) designed with comfort in mind. It Width: 83cm

The Portland Riser Recliner Lift Cha designed with comfort in mind. It features an exclusive memory foam seat and its dual motor mechanism allows the user to find their perfect comfort position in minutes.

Width: 83cm
Depth: 90cm
Seat Height: 43cm
Seat Width: 47cm
Seat Depth: 48cm
SWL: 150kg



available in two colours- Mushroom and Graphite.

The Portland Riser Lift Chair Armchair features luxurious Sofia fabric and is

Features of the Portland Riser Lift Chair include:

Reclines to an excellent snooze position.
High quality upholstery.
Excellent quiet and smooth actions.
Built in convenient storage pockets.
Battery back up facility
New 2 year warranty
Weight capacity 150kg

**CSDPRTM** 

Drive Portland Recliner (DUAL MOTOR)

The Portland Riser Recliner Lift Chair is Height: 110cm designed with comfort in mind. It features an exclusive memory foam seat and its dual motor mechanism allows the user to find their perfect comfort position in minutes.

The Portland Riser Lift Chair Armchair features luxurious Sofia fabric and is available in two colours- Mushroom and

Width: 86cm Depth: 94cm Seat Height: 438cm Seat Width: 51cm Seat Depth: 54cm

SWL: 150kg



Features of the Portland Riser Lift Chair include:

Graphite.

Reclines to an excellent snooze position. High quality upholstery. Excellent quiet and smooth actions. Built in convenient storage pockets. Battery back up facility New 2 year warranty

Weight capacity 150kg

**Step Stools** 

CSSS01	No	Step Stool with optional hand rail.	Chrome plated steel frame step stool with hand rail. It has a slip-resistant fluted rubber covered step and a tall hand rail can be fitted to one side. It also has non-marking, slip resistant rubber tips.	<ul> <li>Height of Step: 23cm</li> <li>Height of Handrail (from floor): 104cm</li> <li>Overall Width: 44cm</li> <li>Overall Depth: 35.5cm</li> <li>Step Width: 36cm</li> <li>Step Depth: 29cm</li> <li>Max User Weight: 160kg</li> </ul>	
--------	----	-------------------------------------	--	--	--

Ver 30.09	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver 3			CONTINENCE Bed Pans			
	CNBPSL1	Yes	Bed Pan - Slipper	Assists toileting of user whilst confined to bed Wedge shape assists in correct postitioning Poly Propylene construction		
	ВТВРР	Yes	Bed Pan Plastic	Light weight polypropylene bed pan for toileting while remaining in bed  Wide opening cut-out area to allow for correct positioning  Durable moulded plastic design with autoclavable construction  Compatible with most Mobile Shower Commodes		
			Urinals			
	COMUNS1	Yes	Urinal Male - Non spill	Autoclavable for sanitising Integrated handle Patented non-spill spout prevents spillage in any position Spout unscrews easily for disposal and cleaning 100ml graduation markings Moulded plastic	Weight 240g 1 litre capacity 500ml non-spill capacity	

COMUST1	Yes	Urinal Male - Standard	Standard urinal bottle for males. Ideal for bed confinement or travelling	Graduated up to 1000 ml Secured lid to reduce spills and odours	
COFUST	Yes	Urinal Female	Assists the user or carer in personal toileting  Ideal for bed confinement or travelling Anatomically shaped for females Secured lid to reduce spills and odours	Graduated up to 1000 ml	
		Absorbent Sheets			
COASTI	Yes	Absorbent Sheet - With Bed Tuck Ins	Highly absorbent draw sheet with side tuckins. This item comes with built in waterproofing.	Width (not incl. tuck-ins): 1000mm Length: 1000mm Absorption Capacity: 2.5L	
		McIntoshes			
COWPTI	Yes	Waterproof Sheeting / Mcintosh PVC	Mack-E Mattress Protector with wings		

60.0	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver 30.09	BREBA01	No	ELECTRIC BEDS Electric Adjustable Beds Community Electric Bed	A versatile and adaptable nursing bed which is easy to use and built for	Safe Working Load - 220kg	
				strength and durability for the home care market. Electric bed, with electric backrest/headraise, knee break and manual leg lift. Trendelenburg and Reverse Trendelenburg. 4 locking castors. Bed folds for transportation.   Easy to fold and superior clearance when folded for transport or storage  Multiple positioning to suit a range of care needs  Easy to use hand controller with the ability to lockout individual functions  Linak actuators providing superior reliability  Strong and durable frame with a 5 year warranty	<ul> <li>Dimensions -</li> <li>2324x1050mm</li> <li>Height Range - 330</li> <li>to 730mm</li> <li>Mattress size -</li> <li>1960</li> <li>Bed Frame Weight -</li> <li>74 kg</li> <li>Warranty - 5 year</li> <li>bed frame / 2 year</li> <li>electrical / 1 year castor</li> </ul>	

BREBA02 No

Electric Bed, Aged Care

A fully-featured, easy to operate, electric bed.
Four-part, high low profiling bed Adjustable bed height, backrest, knee break and heel lift Quick-release head and foot panels Choice of panel designs Central locking castors In-built 200mm base extension Electric hand controller with auto contour and a lockout function 4 Detachable mattress retainers Drainage bag holder

- Safe working load 220 kg
- Maximum patient weight - 185 kg
- Warranty 3 year
   Electrical / 10 year Frame
   / 1 year Back-Up Battery
- Frame material -Powder Coated Steel
- Model Standard, King
- Overall dimensions
   W 920 mm† L 2036 mm-i- W 1090 mm† L
   2036 mm-i-
- Height base 330 780 mm 330 780 mm
- Mattress dimensions recommended Single - W 860 - 900 mm
- Mattress dimensions recommended Single - L 1960 - 2200\* mm
- Mattress dimensions recommended King - W 1050 -1070 mm
- Mattrace



BREBICPO	No	iC P

Care King Single Complete Bed Safe working load 200kg on king Package ONYX single.

Hand Controller Backlit for night time use. Easy press buttons. Wired stretch cord. Hook attachment for hanging to side of bed. Wipeable.

Hard wearing commercial grade fabric. Onyx range (BLACK) 82% Polyester, 18% Olefin. Stone range (GREY) 70% Polyester, 30% Acrylic.

Strong metal mesh under mattress allowing increased airflow 8x heavy duty swivel castors with one

lockable castor on each corner. Head lift angle 62° and knee break angle 42°

Max height 66cm from floor to top of base

Min height 22cm from floor to top of base.

Includes the IC20 Mattress a mid range mattress with a soft feel but excellent support and a matching headboard in ONYX fabric.

Safe working load -200kg. Minimum height from

floor to base is 220mm.



BREBILP	No	iCare Long Single Cor Bed Package STONE

mplete

Safe working load 200kg on long single.

Hand Controller Backlit for night time use. Easy press buttons. Wired stretch cord. Hook attachment for hanging to side of bed. Wipeable.

Hard wearing commercial grade fabric. Onyx range (BLACK) 82% Polyester, 18% Olefin. Stone range (GREY) 70% Polyester, 30% Acrylic.

Strong metal mesh under mattress allowing increased airflow

8x heavy duty swivel castors with one lockable castor on each corner. Head lift angle 62° and knee break


angle 42°

Max height 66cm from floor to top of base

Min height 22cm from floor to top of base.

Includes the IC20 Mattress a mid range mattress with a soft feel but excellent support and a matching headboard in STONE fabric.

Safe working load -200kg.





**BREBICP** 

iCare King Single Complete Bed Safe working load 200kg on king Package STONE single.

Hand Controller Backlit for night time use. Easy press buttons. Wired stretch cord. Hook attachment for hanging to side of bed. Wipeable.

Hard wearing commercial grade fabric. Onyx range (BLACK) 82% Polyester, 18% Olefin. Stone range (GREY) 70%

Polyester, 30% Acrylic.

Strong metal mesh under mattress allowing increased airflow

8x heavy duty swivel castors with one lockable castor on each corner. Head lift angle 62° and knee break

angle 42°

Max height 66cm from floor to top of

base

Min height 22cm from floor to top of base.

Includes the IC20 Mattress a mid range mattress with a soft feel but excellent support and a matching headboard in STONE fabric.

Safe working load - 200kg.


Minimum height from floor to base is 220mm.



**Accessories** 

BREBBS1	No	Bedstick Low - Townsend for Electric Beds	Clamped firmly to bed base railing Acts as a support to roll over, to sit from lying position and to assist with getting in and out of bed.  For use for Hospital Style Beds  Manufactured in Adelaide, Powdercoated mild steel. Clean using mild detergent and water and dry with soft cloth.	Low profile 525 x 175 2.1kg Max User Weight 136kg	
BREBBS2	No	BedstickStandard - Townsend for Electric Beds	Clamped firmly to bed base railing Acts as a support to roll over, to sit from lying position and to assist with getting in and out of bed.  For use for Hospital Style Beds  Manufactured in Adelaide, Powdercoated mild steel. Clean using mild detergent and water and dry with soft cloth.	Standard Height 715x175 2.4kg Max User Weight 136kg	
BRBSL01	Discuss with CL	NEW Lawson Bedstick with 11cm gap between rails	Installed between mattress and base Acts as a support roll over, to sit from a lying position and to assist with getting in and out of bed For use to suit domestic ensemble or standard mattress beds  Manufactured in Adelaide, powdercoated mild steel. Clean using	NEW 11cm ap between rails.	
			mild detergent and water. Dry with a soft cloth.		

E	BREBBR3	No	Bedrail for Elec Bed - Fold Down - 3/4 length	Clamp on, fold down metal side rail system attaches firmly to bed frame. Three quarter length rails for increased access.		
8	BREBBR1	No	Bed Rail - Full Length for Electric Bed	Drop down metal side rail system attaches firmly to bed frame. Full length rails for added safety and security.		
	BREBBR2	No	Bed Rail Cover - Padded for Electric Bed	Soft cushions to encase metal bed rails protects limbs from hitting rails or getting caught.  Soft, medical grade foam cushions, stretch cover, easy secure Velcro closure, easy wipe clean.  Two sizes available, fits majority of bed rails.	Standard 670 x 1260mm	
E	BREBSHP	No	Pole Self Help For Community Bed	Support pole to aid patient repositioning while lying in bed. Mounts into inbuilt brackets at either side of bed head.		



Cushion ROHO Low Profile 9x9 The Low-Profile Cushions effectively redistribute pressure and conform to the user's body in order to prevent against ulcers and tissue breakdown. Its soft, air-filled cells permit blood flow Max User Weight while simultaneously providing users with the additional support they require while seated. The ROHO Low-Profile Cushion maximizes stability while reducing the risk of potential tissue breakdown.

> Available with either a nylon lycra or incontinent resistant cover. Both are machine washable, and they protect the cushion's surface from wear and tear as well as provide aid during slide transfers. The bottom of the cover has a non-skid coating to prevent sliding while in use. The sturdy neoprene rubber cells resist liquid/moisture and clean easily with soap and water.

Cell size 9 x 9 Dimensions 43 x 43 cm Profile Low Height 60mm Unlimited



PCROL03	No	Cushion ROHO Low Proficells x 9 cells (fits 18x16 \

file 10 W/C)

The Low-Profile Cushions effectively redistribute pressure and conform to the user's body in order to prevent against ulcers and tissue breakdown. Its soft, air-filled cells permit blood flow Weight Unlimited while simultaneously providing users with the additional support they require while seated. The ROHO Low-Profile Cushion maximizes stability while reducing the risk of potential tissue breakdown.

Available with either a nylon lycra or incontinent resistant cover. Both are machine washable, and they protect the cushion's surface from wear and tear as well as provide aid during slide transfers. The bottom of the cover has a non-skid coating to prevent sliding while in use. The sturdy neoprene rubber cells resist liquid/moisture and clean easily with soap and water.

Cell size 10 x 9 Dimensions 47 x 43cm Profile Low Height 60mm



	P	C	R	0	L	04	

Cushion ROHO Low Profile 10 cells x 10 cells

The Low-Profile Cushions effectively redistribute pressure and conform to the user's body in order to prevent against ulcers and tissue breakdown. Its soft, air-filled cells permit blood flow Max User Weight while simultaneously providing users with the additional support they require while seated. The ROHO Low-Profile Cushion maximizes stability while reducing the risk of potential tissue breakdown.

Available with either a nylon lycra or incontinent resistant cover. Both are machine washable, and they protect the cushion's surface from wear and tear as well as provide aid during slide transfers. The bottom of the cover has a non-skid coating to prevent sliding while in use. The sturdy neoprene rubber cells resist liquid/moisture and clean easily with soap and water.

Cell size 10 x 10 Dimensions 47 x 47 cm Profile Low Height 60mm Unlimited



PCROL05	No	Cushion ROHO Low Profile cells x 10 cells (fits 20x18 W

The Low-Profile Cushions effectively W/C) redistribute pressure and conform to the user's body in order to prevent against ulcers and tissue breakdown. Its soft, air-filled cells permit blood flow Max User Weight while simultaneously providing users with the additional support they require while seated. The ROHO Low-Profile Cushion maximizes stability while reducing the risk of potential tissue breakdown.

Available with either a nylon lycra or incontinent resistant cover. Both are machine washable, and they protect the cushion's surface from wear and tear as well as provide aid during slide transfers. The bottom of the cover has a non-skid coating to prevent sliding while in use. The sturdy neoprene rubber cells resist liquid/moisture and clean easily with soap and water.

Cell size 11 x 10 Dimensions 52 x 47 cm Profile Low Height 60mm Unlimited



PCROH01

Cushion ROHO High Profile 10 cells x 10 cells

The High Profile Cushions redistribute Cell size 10 x 10 pressure and conform to the user's body in order to prevent against ulcers Profile High and tissue breakdown. Its soft, air-filled Height 100mm cells permit blood flow while simultaneously providing users with the Unlimited additional support they require while seated. The ROHO High-Profile Cushion assists those who are unable to independently shift their own weight.

Dimensions 47 x 47 cm Max User Weight



PCROH02

Cushion ROHO High Profile 11 cells x 10 cells (fits 20x18 W/C)

The High Profile Cushions redistribute pressure and conform to the user's body in order to prevent against ulcers Profile High and tissue breakdown. Its soft, air-filled Height 100mm cells permit blood flow while simultaneously providing users with the Unlimited additional support they require while seated. The ROHO High-Profile Cushion assists those who are unable to independently shift their own weight.

Dimensions 52 x 47 cm Max User Weight Screen reader support enabled.

Cell size 11 x 10



Cushion ROHO High Profile 8x9 The High Profile Cushions redistribute Cell size 8 x 9 pressure and conform to the user's body in order to prevent against ulcers Profile High and tissue breakdown. Its soft, air-filled Height 100mm cells permit blood flow while simultaneously providing users with the Unlimited additional support they require while seated. The ROHO High-Profile Cushion assists those who are unable to independently shift their own weight.

Dimensions 38 x 43 cm Max User Weight



PCROH04

Cushion ROHO High Profile 9x9 The High Profile Cushions redistribute Cell size 9 x 9

pressure and conform to the user's body in order to prevent against ulcers Profile High Height and tissue breakdown. Its soft, air-filled 100mm Max User cells permit blood flow while simultaneously providing users with the additional support they require while seated. The ROHO High-Profile Cushion assists those who are unable to independently shift their own weight.

Dimensions 43 x 43 cm Weight Unlimited



PCROQ01

x 9 cells HP (fits 14x16 W/C)

Cushion ROHO Quadtro 8 cells The Quadtro Select cushion is made for individuals who require superior pressure relief and protection from soft Profile High tissue breakdown. Its high-profile nature facilitates blood flow via advanced shape-conforming technology.

> The ROHO Quadtro Select is lightweight, easy to transport, and easy to clean (just use soap and water). It features four individual sections that are uniformly inflated through a single valve. A simple push of the ISOFLO Memory Control knob locks air into each section, therefore filling them to maximum capacity. The ROHO cushion is also available in varying dimensions to accomodate for users' individual seating needs.

> **Cushion Cover Included** This seat cushion comes with a durable cover that reduces unnecessary friction and shear. Spill something on your seat? Machine wash the cover in cold water for an easy clean up.

Cell size 8 x 9 Dimensions 38 x 43 cm Height 100mm Max User Weight Unlimited



PCROQ02

Cushion ROHO HP Quadtro 9 cells x 9 cells (fits 16x16 W/C) The Quadtro Select cushion is made for individuals who require superior pressure relief and protection from soft Profile High tissue breakdown. Its high-profile nature facilitates blood flow via advanced shape-conforming technology.

The ROHO Quadtro Select is lightweight, easy to transport, and easy to clean (just use soap and water). It features four individual sections that are uniformly inflated through a single valve. A simple push of the ISOFLO Memory Control knob locks air into each section, therefore filling them to maximum capacity. The ROHO cushion is also available in varying dimensions to accomodate for users' individual seating needs.

**Cushion Cover Included** This seat cushion comes with a durable cover that reduces unnecessary friction and shear. Spill something on your seat? Machine wash the cover in cold water for an easy clean up.

Cell size 9 x 9 Dimensions 43 x 43 cm Height 100mm Max User Weight Unlimited



PCROQ03 Cushion ROHO Quadtro 10 cells x 9 cells High Profile (fits 18x16 W/C) technology. seating needs. **Cushion Cover Included** 

The Quadtro Select cushion is made for individuals who require superior pressure relief and protection from soft Profile High tissue breakdown. Its high-profile nature facilitates blood flow via advanced shape-conforming

The ROHO Quadtro Select is lightweight, easy to transport, and easy to clean (just use soap and water). It features four individual sections that are uniformly inflated through a single valve. A simple push of the ISOFLO Memory Control knob locks air into each section, therefore filling them to maximum capacity. The ROHO cushion is also available in varying dimensions to accomodate for users' individual

This seat cushion comes with a durable cover that reduces unnecessary friction and shear. Spill something on your seat? Machine wash the cover in cold water for an easy clean up.

Cell size 10 x 9 Dimensions 47 x 43 cm Height 100mm Max User Weight Unlimited



PCROQH1

Cushion ROHO HP Quadtro 10x10

The Quadtro Select cushion is made for individuals who require superior pressure relief and protection from soft Profile High tissue breakdown. Its high-profile nature facilitates blood flow via advanced shape-conforming technology.

The ROHO Quadtro Select is lightweight, easy to transport, and easy to clean (just use soap and water). It features four individual sections that are uniformly inflated through a single valve. A simple push of the ISOFLO Memory Control knob locks air into each section, therefore filling them to maximum capacity. The ROHO cushion is also available in varying dimensions to accomodate for users' individual seating needs.

**Cushion Cover Included** This seat cushion comes with a durable cover that reduces unnecessary friction and shear. Spill something on your seat? Machine wash the cover in cold water for an easy clean up.

Cell size 10 x 10 Dimensions 47 x 47 cm Height 100mm Max User Weight Unlimited



PCROQH2

Cushion HP ROHO Quadtro 11x10 (fits 20x18 W/C)

The Quadtro Select cushion is made for individuals who require superior pressure relief and protection from soft Profile High tissue breakdown. Its high-profile nature facilitates blood flow via advanced shape-conforming technology.

The ROHO Quadtro Select is lightweight, easy to transport, and easy to clean (just use soap and water). It features four individual sections that are uniformly inflated through a single valve. A simple push of the ISOFLO Memory Control knob locks air into each section, therefore filling them to maximum capacity. The ROHO cushion is also available in varying dimensions to accomodate for users' individual seating needs.

This seat cushion comes with a durable cover that reduces unnecessary friction and shear. Spill something on your seat? Machine wash the cover in cold

**Cushion Cover Included** 

water for an easy clean up.

Cell size 11 x 10 Dimensions 52 x 47 cm Height 100mm Max User Weight Unlimited



**Combination Cushions** 

PCJC11 Cushion Jay 2 Standard Contoured foam cushion with Jay Flow 46 x 41 cm 460mmx410mm (18"x16") 18"x16" fluid pad Designed for the client with moderate to high postural and pressure care needs Firm, anatomically correct contoured foam base creates a foundation for postural stability Provides excellent lateral and forward/rear stability Fluid Tripad in rear seat well maintains even pressure distribution and keeps fluid under areas at high risk of skin breakdown Supplied with breathable ballistic stretch cover



PCROHY2

No

Cushion ROHO Hybrid Elite 460mmx460mm (fits 18x16 W/C)

Combines ROHOs Air Flotation qualities and Jays base technology Ideal for clients who require moderate to high pressure care and positional support needs

Contoured foam base improves alignment of the pelvis and lower extremities, enhancing sitting posture and function

Air cells are interconnected and their unique shape promote blood circulation to facilitate pressure prevention, healing and relief

Flexible and adjustable air cells adapt to patient contours and reduce shear forces while transferring or repositioning

Durable neoprene construction is soft to suit skin sensitivity, and is easily cleaned

Jay foam base is made from fluidresistant closed cell foam for additional stability, assisting in safer wheelchair transfers

Two-way stretch cover with encased comfort foam is machine washable Supplied with pump Cushions is available with fluid resistant cover

Dimensions 46 x 46cm Height 95mm Max User Weight 225kg



**Foam Cushions** 

PCCU02	Yes	Cushion Basic Foam 405mm x 405mm Black Cover	Max user weight 150kg 405mm x 405mm 50mm thick	
PCCU03	Yes	Cushion Basic Foam 460mm x 405mm Black Cover	Max user weight 150kg 460mm x 405mm 50mm thick	
PCCU04	Yes	Cushion Basic Foam 500mm x 450mm Black Cover	Max user weight 150kg 500mm x 450mm 50mm thick	

PCCU08 Yes iCare Basic Foam Cushion 400 x 400 x 50

Range of sizes and thicknesses

- » Zip off washable covers
- » Range of sizes available
- » Pressure and heat sensitive ActiveX<sup>™</sup> core

The tandard seat cushion range features high density visco cores which respond to pressure in a different way.

Instead of pushing back like standard foam cushions the Icare cushions will mould around the shape of your body taking away points of pressure.






PCCU11 Yes iCare Basic Foam Cushion 400 x 400 x 100

Range of sizes and thicknesses

- » Zip off washable covers
- » Range of sizes available
- » Pressure and heat sensitive ActiveX™ core

The tandard seat cushion range features high density visco cores which respond to pressure in a different way.

Instead of pushing back like standard foam cushions the Icare cushions will mould around the shape of your body taking away points of pressure.





PCCU09 Yes iCare Basic Foam Cushion 450 x 450 x 50

Range of sizes and thicknesses

- » Zip off washable covers
- » Range of sizes available
- » Pressure and heat sensitive ActiveX<sup>™</sup> core

The tandard seat cushion range features high density visco cores which respond to pressure in a different way.

Instead of pushing back like standard foam cushions the Icare cushions will mould around the shape of your body taking away points of pressure.





PCCU12 Yes iCare Basic Foam Cushion 450 x 450 x 50

Range of sizes and thicknesses

- » Zip off washable covers
- » Range of sizes available
- » Pressure and heat sensitive ActiveX<sup>™</sup> core

The tandard seat cushion range features high density visco cores which respond to pressure in a different way.

Instead of pushing back like standard foam cushions the Icare cushions will mould around the shape of your body taking away points of pressure.



450 x 450 x 100



PCCU10 Yes iCare Basic Foam Cushion 450 x 500 x 50

Range of sizes and thicknesses

- » Zip off washable covers
- » Range of sizes available
- » Pressure and heat sensitive ActiveX<sup>™</sup> core

The tandard seat cushion range features high density visco cores which respond to pressure in a different way.

Instead of pushing back like standard foam cushions the Icare cushions will mould around the shape of your body taking away points of pressure.





PCCU13	Yes	iCare Basic Foam Cushion 450 x 500 x 100	Range of sizes and thicknesses  » Zip off washable covers  » Range of sizes available  » Pressure and heat sensitive ActiveX <sup>™</sup> core  The tandard seat cushion range features high density visco cores which respond to pressure in a different way.  Instead of pushing back like standard foam cushions the Icare cushions will mould around the shape of your body taking away points of pressure.	450 x 500 x 100	
PCCU05	No	Basic Foam Cushion with Gel Insert. (450 x 400 x 50mm)	This foam pressure care cushion is suited to people at low to medium risk of pressure injury that is, damage to the skin and underlying tissue as a result of prolonged sitting without moving. Helps relieve chronic pain and pressure for users up to 110kg. Made from a patented gel bladder encased in resilient PU comfort foam cushion for superior weight equalisation and pressure distribution.	Max user weight: 150Kg 450x400x50mm	

PCCU06	No	Basic Foam Cushion with Gel Insert. (450 x 450 x 50mm)	This foam pressure care cushion is suited to people at low to medium risk of pressure injury that is, damage to the skin and underlying tissue as a result of prolonged sitting without moving. Helps relieve chronic pain and pressure for users up to 110kg. Made from a patented gel bladder encased in resilient PU comfort foam cushion for superior weight equalisation and pressure distribution.	
PCCU07	No	Basic Foam Cushion with Gel Insert. (500 x 450 x 50mm)	This foam pressure care cushion is suited to people at low to medium risk of pressure injury that is, damage to the skin and underlying tissue as a result of prolonged sitting without moving. Helps relieve chronic pain and pressure for users up to 110kg. Made from a patented gel bladder encased in resilient PU comfort foam cushion for superior weight equalisation and pressure distribution.	

PCWCSC	Yes	Contoured Wheelchair Seat Cushion (18" x 16")  Comfort Products	An anatomically moulded wheelchair cushion that is used to relieve and prevent back pain, numbness and other discomfort that can be experienced after prolonged sitting in a slung seat wheelchair.	18" x 16" 460 x 410 mm r	
PCSS01	Yes	Sheepskin Medical Grade	Genuine Australian lambswool overlay Provides additional comfort to existing mattress or chair Soft pile allows air circulation to keep skin dry Natural fibre reduces the risk of skin irritation Machine washable Dimensions are calculated on an average	640mm wide x 960mm Long	
PCCFT02	Yes	Sheepskin Slippers Small - Pair	Low profile medical sheepskin slipper pressure-redistributing and microclimate controlling properties non-slip suede soles slim and lightweight washable to 80°C		

PCCFT03	Yes	Sheepskin Slippers Medium - Pair	Low profile medical sheepskin slipper pressure-redistributing and microclimate controlling properties non-slip suede soles slim and lightweight washable to 80°C	
PCCFT04	Yes	Sheepskin SlippersLarge - Pair	Low profile medical sheepskin slipper pressure-redistributing and microclimate controlling properties non-slip suede soles slim and lightweight washable to 80°C	
PCCFT06	Yes	Sheepskin Heel Protectors	Genuine medical sheepskin Soft pile allows air circulation to keep skin dry Natural fibres reduces the risk of skin irritation Adjustable velcro securing straps Machine washable One size fits all Supplied as a pair.	
РСНВНЕ	Yes	Heel Protector - Bed Heel Elevator	Wedge-shaped contoured foam provides excellent support for the lower leg Rigid foam aids blood flow and reduces pressure	

**Static Mattresses** 

PCFM01 Mattress - Area Care Plus -The AreaCare Plus is available in Single (1960 x 865 x Static Foam Standard and King Single size. The 150mm) three layered, zoned design of this very high risk pressure surface is ideal for patients with poor mobility or uncertain skin sensitivity. Three-layer foam pressure surface offers maximum pressure reduction in a three-layer foam surface for higher-risk patients. A top layer of high density, temperaturesensitive, memory foam conforms to the body's shape, working in combination with the higher resistance support layer to disperse pressure evenly. The top layer also incorporates a special immersion, slow recovery foam foot zone for the ulcer prone heel area. The core layer and edges provide form, strength, and stability. Standard model suitable for users up to 220 kilograms; King Single up to 250 kilograms.

Mattress - Area Care Pro Static The AreaCare Pro multi-density foam PCPRM01 Single (1960 x 865 x Foam pressure surface offers maximum 150mm) pressure reduction in a three layer foam surface for higher risk patients. The three layered, zoned design of this very high risk pressure surface is ideal for heavier patients with poor mobility or uncertain skin sensitivity. Made from premium materials, each foam layer is made of varying density to maximise the redistribution of pressure. The top layer memory foam also incorporates a special immersion, slow recovery foam foot zone for the ulcer prone heel area, improves ventilation to the skins surface and increases the overall weight capacity to 220 kilograms. iCare Long Single Mattress -**PCICSLS** No For clients who like a soft mattress, or Long Single (2030 x 900 SOFT who spend a long time in bed. The feel x 225) of the IC25 soft Mattress is best suited to aged or petite patients. The IC25 Mattresses have almost no partner disturbance or roll together.

PCICMLS	No	iCare Long Single Mattress - MEDIUM	Middle of the range, the IC20 proves to be popular for most. The medium feel provides a soft feel but excellent support.  How pressure care works with the IC20: This IC20 medium mattress is heat and pressure sensitive which means that as it gets warmer it becomes softer. So when there is a pressure point developing which usually gets hot and enflamed, this area of the mattress will become softer which allows the blood to flow freely again.	Long Single (2030 x 900 x 200)	Cre Cre
PCICFLS	No	iCare Long Single Mattress - FIRM	The IC15 firm mattress offers support and comfort. Firm feel makes it easier for turning.	Long Single (2030 x 900 x 150)	an

PCICSKS	No	iCare King Single Mattress - SOFT	For clients who like a soft mattress, or who spend a long time in bed. The feel of the IC25 soft Mattress is best suited to aged or petite patients.  The IC25 Mattresses have almost no partner disturbance or roll together.	King Single (2030 x 1070 x 225)	care
PCICMKS	No	iCare King Single Mattress - MEDIUM	Middle of the range, the IC20 proves to be popular for most. The medium feel provides a soft feel but excellent support.  How pressure care works with the IC20: This IC20 medium mattress is heat and pressure sensitive which means that as it gets warmer it becomes softer. So when there is a pressure point developing which usually gets hot and enflamed, this area of the mattress will become softer which allows the blood to flow freely again.	King Single (2030 x 1070 x 200)	ar a

PCICFKS	No	iCare King Single Mattress - FIRM	The IC15 firm mattress offers support and comfort. Firm feel makes it easier for turning.	King Single (2030 x 1070 x 150)	cars
		Alternating Press	ure Reduction Mattresses		
PCMR01	No	ProCair Mattress Replacement System	ProCair is designed for individuals at the high-risk pressure injury category. Built for optimal patient therapy and comfort, ProCair is now available in Standard and King Single sizes with sealed base to support your infection control strategy.	Weight Capacity (kg) 40-200	1900
PCMR02	No	ProCair Plus Mattress Replacement System	The ProCair Plus is our premium solution for high-risk patients optimal patient therapy and comfort; fully automated operational features; advanced safety features including back-up battery; and advanced error and service indicators. Available in Standard and King Single models.	King Single (2000 x 1050 x 200mm) Single (2000 x 880 x 200mm) Weight Capacity 40-200Kg	noths

Pressure	Reduction	<b>Overlays</b>
----------	-----------	-----------------

PCMO02 No Proc Syst

Procair Mattress Overlay System Functional overlay for pressure prevention

Automatic pressure setting

Used over the existing mattress for

basic support

Easy to operate and maintain

40-150 kg

Ideally suited to home care or aged care environments, this product can be used for people at risk to high risk of

pressure injury.

Automatic weight sensing technology that delivers fail-safe patient comfort

levels.

Conform to all relevant Australian

standards.

2000 x 880 x 130 mm Weight Capacity (kg) 40-150kg



TASLS00	Yes	Yes	Slide Sheet SMALL - 1000mm x 1450mm	Slippery surface both sides, use folded onto itself to provide low resistance under clients requiring assistance with repositioning. Size: 1m x 1.4m sq for bed transfers	1m x 1.4m Colour may vary	
TASLS01	Yes	Yes	Slide Sheet LARGE - 2000mm x 1450mm	Slippery surface both sides, use folded onto itself to provide low resistance under clients requiring assistance with repositioning. Size: 2m x 1.4m sq for bed transfers	2m x 1.4m Colour may vary	
			Slide Boards			
TACTP01	Yes	Yes	Car Transfer Pad - Pelican	Car slide transfer pad has 2 slip surfaces that decreases friction allowing the client to slide and pivot into the car seat.	Top Pad size 58cm x 58cm	
TATB01	Yes	Yes	The Slider	"Assists patient transfers between wheelchair and car, chair, bed etc Strong perspex construction Rear wheel cutout, covered with a flexible plastic guard, minimises skin damage while transferring over the arch of the wheel Not to be used as a lifting device"	Length 640mm Width 350mm Weight 1.5kg Max User Weight 120kg	
WCAATB	Yes	Yes	PVC Angled Transfer Board	A smaller transfer board angled at one end to allow better positioning around the wheel of a wheelchair for side transfers. 15833 Angled Transfer Board (P.V.C.) flexible construction for slight height variation.	SWL 110kg 600mm x250mm x 6mm	

TATB03	Yes	Yes	Curved Transfer Board PVC	PVC transfer board	Weight: 1.95kg. Max. user weight: 152kg	
			Turntables			
TASC01	Yes	Yes	Swivel Cushion Rota	This cushioned seat glides you in and out of cars smoothly without struggling. Placed on any seat it will swivel in both directions and may help those who suffer from arthritis, leg or back pain. It's lightweight, portable and consists of a plastic base with a fleece covered cushion. A strap secures the position of the swivel seat.	Diameter: 40cm Height: 70mm Weight: 1.6kg Maximum user weight: 190kg	
TASC02	Yes	Yes	Patient Swivel Seat	Reduces the risk of strain or back injury for the carer and user Assists the user in transfers from a seated position Ideal for transfers in a variety of situations such as car, wheelchair and household areas Swivels 360? Lightweight and portable Smooth and safe turning action Covered in soft fabric upholstery Nonslip underside	Diameter: 39cm Height: 50mm Weight: 0.9kg Maximum user weight: 100kg	

TASC03 Yes Yes Handy Soft Turn Pad Reduces the risk of strain or back injury Diameter: 45cm for the carer and user Height: 40mm Assists the user in transfers from a Weight: 0.35kg Maximum user weight: seated position Ideal for transfers in a variety of 125kg situations such as car, wheelchair and household areas Swivels 360? Lightweight and portable Cotton upholstered seating surface Nylon swivel mechanism provides smooth and safe turning action Nonslip underside



er 30.09	ITEM CODE CHSP EQUIP IN SCOPE LIST		PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver 3	_	_	DAILY LIVING AIDS			
			Crockery			
	DLACU05	Yes	Feeding Cup with Long Spout and Handles	Homecraft Feeding Cup, Standard 8mm Spout, 250ml, 2/pack		-
	DLAPL01	Yes	Plate Incurve Surround Homecraft	This flexible guard can be fitted to ordinary plates to assist with one-handed eating. Three clips attach it to the rim and create a high inward sloping face to help with food collection and prevent spillage.	Plate size 190 to 254mm external diameter. Dishwasher safe. Melamine material dishwasher safe to 180 degrees F (82°C).	
	DLAPL03	Yes	Plate Manoy Large	Manoy Contoured Plate, Large, 279 x 197mm, White		
			Cutlery			
	DLACT08	Yes	SURE GRIP - Teaspoon	Comfortable ribbed built-up handles help people with weak grasp to hold utensils securely. Stainless steel with rubber handles. Institutional dishwasher safe up to 125 F (52°C)	SURE GRIP Non- bendable Cutlery Dishwasher safe.	

DLACT07	Yes	SURE GRIP - Tablespoon	Comfortable ribbed built-up handles help people with weak grasp to hold utensils securely. Stainless steel with rubber handles. Institutional dishwasher safe up to 125 F (52°C)	SURE GRIP Non- bendable Cutlery Dishwasher safe.	
DLACT05	Yes	SURE GRIP - Fork	Comfortable ribbed built-up handles help people with weak grasp to hold utensils securely. Stainless steel with rubber handles. Institutional dishwasher safe up to 125 F (52°C)	SURE GRIP Non- bendable Cutlery Dishwasher safe.	
DLACT06	Yes	SURE GRIP - Knife	Comfortable ribbed built-up handles help people with weak grasp to hold utensils securely. Stainless steel with rubber handles. Institutional dishwasher safe up to 125 F (52°C)	SURE GRIP Non- bendable Cutlery Dishwasher safe.	

DLACT04	Yes	SURE GRIP BENDABLE - Teaspoon	SURE GRIP Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle.	SureGrips Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle. The forks and spoons have a special twist built into the metal shaft that allows them to be bent in any angle for either left or right handed use. Handle length 165mm. Dishwasher safe.	
DLACT03	Yes	SURE GRIP BENDABLE - Tablespoon	SURE GRIP Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle.	SURE GRIP Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle. The forks and spoons have a special twist built into the metal shaft that allows them to be bent in any angle for either left or right handed use. Handle length 165mm. Dishwasher safe.	

DLACT01	Yes	SURE GRIP BENDABLE - Fork	SURE GRIP Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle.	SURE GRIP Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle. The forks and spoons have a special twist built into the metal shaft that allows them to be bent in any angle for either left or right handed use. Handle length 165mm. Dishwasher safe.	
DLACT02	Yes	SURE GRIP BENDABLE - Knife	SURE GRIP Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle. Please note: The knife is not bendable but features a unique rocking action.	Bendable Utensils are	

DLACT18 Yes

GOOD GRIPS BENDABLE -Teaspoon Good Grips Bendable Utensils offer forks and spoons that can be adjusted to different angles. The shaft of the utensils features a special twisting mechanism so that users can customize the reach of their forks and spoons. This allows for more comfortable use that puts less stress on the hand. Note: Rocker Knife is not bendable.

6.5 inch stainless steel bendable utensils that feature 1-3/8 inch built up rubber handle Latex-free, flexible handle features ribbing for easy and adjustable gripping Ideal for individuals that have a limited range of motion, especially with hand to mouth movements Available as Fork, Teaspoon, Tablespoon, and Rocker Knife Utensils are dishwasher safe Handle length 165mm



DLACT26 Yes

GOOD GRIPS BENDABLE - Tablespoon

Good Grips Bendable Utensils offer forks and spoons that can be adjusted to different angles. The shaft of the utensils features a special twisting mechanism so that users can customize the reach of their forks and spoons. This allows for more comfortable use that puts less stress on the hand. Note: Rocker Knife is not bendable.

6.5 inch stainless steel bendable utensils that feature 1-3/8 inch built up rubber handle Latex-free, flexible handle features ribbing for easy and adjustable gripping Ideal for individuals that have a limited range of motion, especially with hand to mouth movements Available as Fork, Teaspoon, Tablespoon, and Rocker Knife Utensils are dishwasher safe Handle length 165mm



DLACT25 Yes

GOOD GRIPS BENDABLE -Fork Good Grips Bendable Utensils offer forks and spoons that can be adjusted to different angles. The shaft of the utensils features a special twisting mechanism so that users can customize the reach of their forks and spoons. This allows for more comfortable use that puts less stress on the hand. Note: Rocker Knife is not bendable.

6.5 inch stainless steel bendable utensils that feature 1-3/8 inch built up rubber handle Latex-free, flexible handle features ribbing for easy and adjustable gripping Ideal for individuals that have a limited range of motion, especially with hand to mouth movements Available as Fork, Teaspoon, Tablespoon, and Rocker Knife Utensils are dishwasher safe Handle length 165mm



DLACT27 **GOOD GRIPS NON** Good Grips Bendable Utensils offer 6.5 inch stainless steel Yes BENDABLE - Knife forks and spoons that can be adjusted bendable utensils that to different angles. The shaft of the feature 1-\% inch built up utensils features a special twisting rubber handle mechanism so that users can Latex-free, flexible handle features ribbing customize the reach of their forks and spoons. This allows for more for easy and adjustable comfortable use that puts less stress gripping on the hand. Note: Rocker Knife is not Ideal for individuals that bendable. have a limited range of motion, especially with hand to mouth movements Available as Fork. Teaspoon, Tablespoon, and Rocker Knife Utensils are dishwasher safe Handle length 165mm DLACT21 Yes GOOD GRIPS WEIGHTED and Good Grips Weighted & Bendable Available as Fork, BENDABLE - Teaspoon Utensils have 170g of added weight in Teaspoon, Tablespoon, the built-up handle. This provides more Souper Spoon, and control so that the utensil reaches the Rocker Knife mouth easier. The utensil head is Built-up handle 170g bendable. The utensils are ideal for persons with limited hand control, Institutional dishwasher Parkinsons disease, or spasticity. safe

DLACT21	Yes	GOOD GRIPS WEIGHTED and BENDABLE - Tablespoon	Good Grips Weighted & Bendable Utensils have 170g of added weight in the built-up handle. This provides more control so that the utensil reaches the mouth easier. The utensil head is bendable. The utensils are ideal for persons with limited hand control, Parkinsons disease, or spasticity.	Available as Fork, Teaspoon, Tablespoon, Souper Spoon, and Rocker Knife Built-up handle 170g Institutional dishwasher safe	
DLACT21	Yes	GOOD GRIPS WEIGHTED and BENDABLE -Souper spoon	Good Grips Weighted & Bendable Utensils have 170g of added weight in the built-up handle. This provides more control so that the utensil reaches the mouth easier. The utensil head is bendable. The utensils are ideal for persons with limited hand control, Parkinsons disease, or spasticity.	Available as Fork, Teaspoon, Tablespoon, Souper Spoon, and Rocker Knife Built-up handle 170g Institutional dishwasher safe	
DLACT21	Yes	GOOD GRIPS WEIGHTED and BENDABLE -Fork	Good Grips Weighted & Bendable Utensils have 170g of added weight in the built-up handle. This provides more control so that the utensil reaches the mouth easier. The utensil head is bendable. The utensils are ideal for persons with limited hand control, Parkinsons disease, or spasticity.	Available as Fork, Teaspoon, Tablespoon, Souper Spoon, and Rocker Knife Built-up handle 170g Institutional dishwasher safe	

DLACT22	Yes	GOODGRIPS Knife - Weighted	Good Grips Cutlery Bendable Utensils are made of stainless steel featuring a 35mm diameter built up handle. The Weighted Utensils range are available with 170g of extra weight in the built up handle to provide more control for people with a tremor or limited hand control, Parkinson's disease or spasticity. The knife is weighted but not bendable.	Available as Fork, Teaspoon, Tablespoon, Souper Spoon, and Rocker Knife Built-up handle 170g Institutional dishwasher safe	
		Dressing Aids			
DLADA01	Yes	Button Hook Modular Kings Complete	Assists one-handed dressing Stainless steel wire passes through button hole, gripping the button. It is pulled through with a slight twisting motion Contoured handle	Length 230mm Weight 70g	
DLADA02	Yes	Dressing Stick	Wooden stick with epoxy coated hook at one end and rubber tip at the other. Assists in applying and removing clothing. Can also be used to push or pull objects.	66cm length 5/8"-diameter wooden dowel. Finished with lacquer with reinforced hook.	
DLADA03	Yes	Shoe Horn Long Handled Plastic	Plastic handle designed to assist in putting on shoes especially for people who have difficulty bending and reaching.	Length 60cm. Blue Colour. Includes wrist strap.	

DLADA04	Yes	Stocking Aid	Stocking aid allows the user to don socks and stockings independently. Side notches hold the sock securely, while the strap ends help pull stocking into position efficiently. Built with a flexible plastic gutter for improved maneuverability.	Available in contoured or notched. Straps 36". Gutter length 9".	
DLADA05	Yes	Sock Aid - Single Plastic	Simple aid designed to assist with putting on a stocking especially if bending and reaching the foot is difficult. Cut out side notches designed to hold stocking 1 metre length pull straps		
DLADA07	Yes	Stocking Compression Applicator Ezy-As Small	The unique design of the Ezy-As compression garment applicator makes it possible to assist in the fitting of a wide range of compression garments.	Small 28 - 35 cm	
DLADA08	Yes	Stocking Compression Applicator Ezy-As Medium	The unique design of the Ezy-As compression garment applicator makes it possible to assist in the fitting of a wide range of compression garments.	Medium 32 - 40cm	

DLADA09	Yes	Stocking Compression Applicator Ezy-As Large	The unique design of the Ezy-As compression garment applicator makes it possible to assist in the fitting of a wide range of compression garments.	Large 38cm - 47cm	
DLADA10	Yes	Compression Stocking / Garment Applicator - Small		Small	
DLADA11	Yes	Sock Aid - Terry Towelling	Simple aid designed to assist with putting on a sock especially if bending and reaching the foot is difficult. Terry towelling outer fabric for greater hold with smooth nylon inner surface to reduce friction.	Nylon pull straps - 700mm	3
		Household Aids			
DLAHHA3	Yes	Tap Turner - Crystal	This Crystal Tap Turner will assist you to use the tap on any tap that does not have an 'X' style knob. The Turner clamps onto the tap and then you can use the handle to control the tap. This is a fantastic tool for those who struggle to grasp a tap and close their hand. Instead, this tool gives you a larger area handle to grip on to.	Length 190mm. Weight 112g	

DLAHHA4	Yes	Tap Turner - Red/Blue	The Homecraft Tapturn Turners are strong moulded turners which simply hook over the top of a 'X' type tap, to make it easy to turn. They are supplied as a red and blue pair for hot and cold taps.	Length 135mm Width 47mm	
DLAHHA8	Yes	Non Slip Matting	A roll of versatile soft material that can be used on any surface to help stop items from moving, or to protect against scratches.  This non-slip matting has a slightly spongy texture which prevents items moving or slipping on almost any surface.  Place a piece of matting on your table or bench, under trays or when preparing foods - you can even use it under your floor mat to help stop it sliding. Also great to prevent unwanted scratches on any surface. Try wrapping some around a jar lids to improve your grip when opening. The unique plastic material won't fray and and simply wipes clean with a damp cloth - or throw it in the washing machine.	Comes in a roll (size 1000 mm long by 300 mm wide) and can be cut to size with household scissors.	Non-Sten Manural

		Tray Mobile			
DLATM01	Yes	Trolley Walker - Adjustable Height	Includes clip-on plastic trays that can be removed easily for cleaning. Can be used with or without trays or it can be used as a table. Rails on tray edges prevent items from slipping off. Lockable hand brakes mean this trolley	Overall Width: 585mm Overall Depth: 560mm Handle Height Range: 755mm - 905mm Wheel Diameter: 150mm (6") Maximum User Weight:	
DLATM02	Yes	Traymobile (no brakes)	Ideal for indoor use Two removable trays to assist transporting smaller household items Height adjustable Four swivel castors provide greater manoeuvrability	Frame Height 800- 950mm Frame Width 490mm Frame Depth 540mm Max User Weight 125kg	
		Kitchen Aids			
DLAKA13	Yes	Plastic Spreading Board	no info available		

DLAKA12	Yes	Bread Board	Ideal for people with tremors or impaired sight, the clever design of this cutting aid makes kitchen work much easier. Food is firmly held in the device while a series of rubber stopper feet keep the board from moving around on your kitchen bench or table. Great for bread, cheese, vegetables or other food items, your knife slides between the two guides, making it easy to cut straight and safe, with no risk of injury to fingers or hands. The board can be adjusted for a range of different cutting thickness	NA STATE OF THE ST
DLAKA14	Yes	ETAC Food Prep System	This durable cutting board is ideal for those who have difficulty in gripping, or only have the use of one hand.  The clamp can fix items such as tins or bowls, and the stainless steel spikes keep vegetables still when peeling or cutting.  It has four non-slip rubber feet to prevent the board from moving.  Suction pads are also provided for use on wet surfaces.	

DLAKA15 Yes Co

Cordless Kettle Tipper

Suits most cordless kettles.

There is a metal plate that secures the base of the cordless kettle and a frame with a Velcro strap to keep the upper part of the kettle in place.

A cut out at the foot of the tipper allows cups to be positioned as close to the kettle as required.

The frame has a built-in back stop to prevent spillage if the kettle is accidentally released during use.



Weight: 1kg

DLAKA16	Yes	Uccello Kettle Tipper	The Headle Tipping Kattle was	1.5L capacity	
DLAKATO	165	Occello Rettie Tippei	The Uccello Tipping Kettle was designed using the innovative and	г.эс сараску	
			unique PowerPour technology which		
			means the user can safely pour boiling		1100
			water without removing the kettle from		
			its cradle by just tilting the kettle.		
			Its ergonomic handle makes it		
			comfortable to use for people with		
			arthritis, grip weakness, or hand injury.		
			The kettle features a wide spout and		
			large hinged lid to easily fill with water.  The water level indicator assists the		
			user to ensure it isn't overfilled. The		
			base is non-slip and weighted.		
			·		
			The Kettle has a stainless steel heating		
			element, power-on light and auto shut-		
			off with overheating protection.		
			This product is available in Black &		
			White or Red & White.		
		1 0 D 44 0 N 14	T	0 11 1 1 1 00	
DLAKA05	Yes	Jar & Bottle Opener - Mighty	The Jar and Bottle Opener has a flexible stainless steel band which is	Suitable for tops 20- 110mm diameter. Weight	
		Lever	HEVINIE STAILHESS STEEL DALIA MUICU IS	i romini diameter. Weight	

fitted around a lid, and then clamped

tight using the screw at the end of the handle. The handle can then be used

88g.

DLAKA06	Yes	Jar Twister	A cone shaped rubber moulding with fluted finger grips on the outside, and ribbing on the inside to give a good grip for opening twist-off jar lids.	Suitable for tops 20 to 85mm diameter. Weight: 100g	
DLAKA10	Yes	Zyliss 5 in 1 Can Opener	This versatile opener is the ideal gadget for opening pull tabs on cans, plastic and metal twist-off caps, metal bottle caps, pop-tops and jar lids. No more struggling to get the caps and lids off bottles and jars, this handy gadget has all your needs covered The soft touch grip makes it comfortable and simple to use	Dimensions: 12Lx15Wx4H	
		Personal Care Aids		-	
DLAPA05	Yes	Long Handled Toe Wiper	Helps people who have limited access to their feet toes to wash and dry between their toes.	Long bendable wire stem with a plastic built-up easy-grip handle Flat wire frame covered in a white towelling pad for washing between the toes Includes 2 pads Length: 710mm	

DLAPA09	Yes	Reaching Aid Economy - 67cm	Trigger style mechanism pick up stick Slip resistant jaw provides a secure hold Hook trigger Magnetic tip	67cm	
DLAPA10	Yes	Reaching Aid Economy - 82cm	Trigger style mechanism pick up stick Slip resistant jaw provides a secure hold Hook trigger Magnetic tip	82cm	
DLAPA11	Yes	Reaching Aid Squeeze - short	Slip resistant rotating jaw designed to pick up objects at different angles Simple hand trigger operation Magnetic tip Wheelchair/walking frame clip supplied	10204/65 (65 cm)	> ' 1

DLAPA12	Yes	Reaching Aid Squeeze - long	Slip resistant rotating jaw designed to pick up objects at different angles Simple hand trigger operation Magnetic tip Wheelchair/walking frame clip supplied.	10204/81 (81 cm)	> 1
DLAPA13	Yes	Bottom Wiper	The Homecraft Toilet Aid provides assistance with independent hygiene. The aid is designed with a curved metal handle and a molded-plastic head that gives the user the proper reach. The handle's recessed serrations allow it to securely to grip paper.	Length 25.4cm. Weight 71g.	
DLAPA14	Yes	Long Handled Sponge	As you get older, it can be difficult to bend down to wash your feet or to lift them up so you can wash them. Doing so might even put you at risk for a slip and fall in the shower. This longhandled bath sponge has a wire that is strong, but also easily bendable to be rotated, twisted, and moved in any position that helps you accomplish optimal cleaning without bending! It can be used by seniors and people with disabilities to bathe independently, by caretakers to easily clean residents, or for household cleaning tasks.	Length 24". Sponge head 3.75" x 5".	

30.09	ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver			LIFTERS AND HOISTS Lifters			
	LHEH01	No	Patient Lifter - 180kg	The LiftAid 180 is a lightweight, easy to operate mobile lifter that allows patients to be lifted and transferred from floor, bed or chair with ease and safety.  3 height settings - tool-less adjustment Quick release hook system Electrically operated base Handheld controller Emergency stop Manual emergency lowering Optional Pivot Frame Compatible with range of slings		

LHEH02

No Pa

Patient Lifter - 320kg

The LiftAid 320 is a heavy-duty mobile
lifter ideal for the majority of common
lifting situations.

Length Overall - 1410 mm
Width Overall 7950 mm 1190 mm

Patients can be lifted and transferred from floor, bed or chair. Fold-down armrests assist with gait training during rehabilitation or for general toileting. Adjustable height frame allows overall mast height be set to match environmental and lifting needs. Features the advanced Linak® Jumbo Care Diagnostic Control System for intelligent self-diagnostic system capabilities. Low lifting height and soft start/stop function, 3 height settings with tool-less adjustment quick release hook system for easy sling bar installation swivel-style front and rear castors; footoperated brake locks on rear 3 height settings with tool-less adjustment Quick release hook system for easy sling bar installation Swivel style front and rear castors; foot operated brake locks on rear

Electrically operated 'U' shaped base

with wide flanged front legs for enhanced stability and access Length Overall - 1410 mm
Width Overall 7950 mm 1190 mm
Height Overall 2180 - mm
Height of Lift 650 mm - 1840
mm
Clearance Under Bed 16 mm
Diameter of Front Wheel 105 mm
Diameter of Rear Wheel 127 mm

Load Capacity - 320 kg



**Lifter/Hoist Slings** 

LHSLGPS	No	Sling General Purpose - Sml	An easy fitting general purpose sling providing good support for patients with basic upper body control. Suits general lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. 3 loop support strap system controls the positioning of the head and leg supports Suits the majority of lifters on the market Brightly coloured handles and adjusters secured to sling for easy access and visibility Quick-drying mesh fabric machine washable up to 85°C for microbiological control Heavy-duty, 3 mm quilted cushioning foam in leg sections for greater comfort	Capacity - 205 kg	
---------	----	-----------------------------	---	-------------------	--

LHSLGPM Sling General Purpose - Med An easy fitting general purpose sling 890 x 1200 x 545 mm ( providing good support for patients with WxLxD) Capacity basic upper body control. Suits general 205kg lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. 3 loop support strap system controls the positioning of the head and leg supports Suits the majority of lifters on the market Brightly coloured handles and adjusters secured to sling for easy access and visibility Quick-drying mesh fabric machine washable up to 85°C for microbiological control Heavy-duty, 3 mm quilted cushioning foam in leg sections for greater comfort

LHSLGPL

Sling General Purpose - Lge

An easy fitting general purpose sling providing good support for patients with (W x L x D) basic upper body control. Suits general Capacity - 205kg lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. 3 loop support strap system controls the positioning of the head and leg supports Suits the majority of lifters on the market Brightly coloured handles and adjusters secured to sling for easy access and visibility Quick-drying mesh fabric machine washable up to 85°C for microbiological control Heavy-duty, 3 mm quilted cushioning foam in leg sections for greater comfort

1135 x 1325 x 640 mm



LHSLGPXL Sling General Purpose - Xlge An easy fitting general purpose sling No providing good support for patients with basic upper body control. Suits general lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. 3 loop support strap system controls the positioning of the head and leg supports Suits the majority of lifters on the market Brightly coloured handles and adjusters secured to sling for easy access and visibility Quick-drying mesh fabric machine washable up to 85°C for microbiological control Heavy-duty, 3 mm quilted cushioning foam in leg sections for greater comfort **LHSLGPHS** Sling General Purpose Head General Purpose with Head Support is 900, 230, 450, 790, 965 mm, 205 kg Support Sml an easy fitting general purpose sling ideally suited for patients with less control. Suits general lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. Suitable for users up to 205 kilograms (Small and Medium) or 300 kilograms (Large, Extra Large and Extra, Extra Large). For Yoke frame lifters only

LHSLGPHM	No	Sling General Purpose Head Support Med	General Purpose with Head Support is an easy fitting general purpose sling ideally suited for patients with less control. Suits general lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. Suitable for users up to 205 kilograms (Small and Medium) or 300 kilograms (Large, Extra Large and Extra, Extra Large).  For Yoke frame lifters only	1010, 230, 490, 890, 1060 mm,205 kg	
LHSLGPHL	No	Sling General Purpose Head Support Lge	General Purpose with Head Support is an easy fitting general purpose sling ideally suited for patients with less control. Suits general lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. Suitable for users up to 205 kilograms (Small and Medium) or 300 kilograms (Large, Extra Large and Extra, Extra Large).	1080, 250, 480, 990,1180 mm,300 kg	

LHSLGPHXL	No	Sling General Purpose Head Support XLge	General Purpose with Head Support is an easy fitting general purpose sling ideally suited for patients with less control. Suits general lifting from the floor, bed or chair. Versatile enough for general patient transfers, toileting or hygiene care. Suitable for users up to 205 kilograms (Small and Medium) or 300 kilograms (Large, Extra Large and Extra, Extra Large).	
LHSLHS	No	Sling Hygiene Sml	An easy fitting sling specifically designed for toilet transfer with open area from mid back to mid thigh. open area from mid back to mid thigh for hygiene access buckle waist strap for added security and increased infection control.  Generous padding under arms 3 loop support strap system controls positioning of head and leg supports. Suits majority of lifters on the market. brightly coloured handles and adjusters, secured to sling for easy access and visibility quick drying mesh fabric; machine washable up to 85°C for microbiological control manufactured from the highest quality material.	

LHSLHM	No	Sling Hygiene Med	An easy fitting sling specifically designed for toilet transfer with open area from mid back to mid thigh. open area from mid back to mid thigh for hygiene access buckle waist strap for added security and increased infection control.  Generous padding under arms 3 loop support strap system controls positioning of head and leg supports. Suits majority of lifters on the market. brightly coloured handles and adjusters, secured to sling for easy access and visibility quick drying mesh fabric; machine washable up to 85°C for microbiologica control manufactured from the highest quality material.	Maximum user weight 205kg	
--------	----	-------------------	--	---------------------------	--

LHSLHL	No	Sling Hygiene Lge	An easy fitting sling specifically designed for toilet transfer with open	Maximum user weight 300kg	
			area from mid back to mid thigh. open area from mid back to mid thigh for		
			hygiene access		T
			buckle waist strap for added security		e d
			and increased infection control.		
			Generous padding under arms		
			3 loop support strap system controls positioning of head and leg supports.		
			Suits majority of lifters on the market.		
			brightly coloured handles and		
			adjusters, secured to sling for easy		
			access and visibility		
			quick drying mesh fabric; machine		
			washable up to 85°C for microbiologica		
			control		
			manufactured from the highest quality		
			material.		

An easy fitting sling specifically designed for toilet transfer with open area from mid back to mid thigh, open area from mid back to mid thigh for hygiene access buckle waist strap for added security and increased infection control.  Generous padding under arms 3 loop support strap system controls positioning of head and leg supports.  Suits majority of lifters on the market. brightly coloured handles and adjusters, secured to sling for easy access and visibility quick drying mesh fabric; machine washable up to 85°C for microbiological control manufactured from the highest quality material.	Í	
--	---	--

LHSLHHS	No	Sling Hygiene With Head Support Sml	Open area from mid back to mid thigh for hygiene access inbuilt head support for patients with less control buckle waist strap for added security and increased infection control generous padding under arms 3 loop support strap system controls positioning of head and leg supports brightly coloured handles and adjusters, secured to sling for easy access and visibility quick drying mesh fabric; machine washable up to 85°C for microbiological control suits majority of lifters on the market manufactured from the highest quality material, in compliance with industry standards (AS/NZS ISO 10535:2011)	N 22

Maximum user weight 205kg



LHSLHHM	No	Sling Hygiene With Head Support Med	Open area from mid back to mid thigh for hygiene access inbuilt head support for patients with less control buckle waist strap for added security and increased infection control generous padding under arms 3 loop support strap system controls positioning of head and leg supports brightly coloured handles and adjusters, secured to sling for easy access and visibility quick drying mesh fabric; machine washable up to 85°C for microbiological control suits majority of lifters on the market manufactured from the highest quality material, in compliance with industry standards (AS/NZS ISO 10535:2011)	Maximum user weight 205kg	
---------	----	--	--	---------------------------	--

LHSLHHL	No	Sling Hygiene With Head Support Lge	Open area from mid back to mid thigh for hygiene access inbuilt head support for patients with less control buckle waist strap for added security and increased infection control generous padding under arms 3 loop support strap system controls positioning of head and leg supports brightly coloured handles and adjusters, secured to sling for easy access and visibility quick drying mesh fabric; machine washable up to 85°C for microbiological control suits majority of lifters on the market manufactured from the highest quality material, in compliance with industry standards (AS/NZS ISO 10535:2011)	Maxim 300kg

Maximum user weight 300kg



LHSLHHXL LHSLSATM

Sling Hygiene With Head Support XLge

Open area from mid back to mid thigh for hygiene access inbuilt head support for patients with less control buckle waist strap for added security and increased infection control generous padding under arms 3 loop support strap system controls positioning of head and leg supports brightly coloured handles and adjusters, secured to sling for easy access and visibility quick drying mesh fabric; machine washable up to 85°C for microbiological control suits majority of lifters on the market manufactured from the highest quality

material, in compliance with industry standards (AS/NZS ISO 10535:2011) Maximum user weight 300kg



## **Stand Aid Slings**

No

Sling - Standaid Torso Medium

Fully padded, including soft padding under the arms Various attachments Built-in Keyhole Plate Safety Straps (Applicable for the version of this product which uses Keyhole Plates) A comfortable, well padded, high back Stand I in Slina with a atrona wide

Chest Size 85cm -110cm Load capacity 200kg



MAOC4WW	Yes	Oxygen Carrier for 4 Wheel Walker	Wire frame designed to fit under the seat of the Rollator Deluxe range.
			Suits oxygen bottles up to 125 mm diameter (C size) Allows the under seat bag or basket to remain on Rollator Angled for optimal oxygen supply & security
		STUMP SUPPORTS	
MABF01	Yes	Fracture Board	Designed to support an extended leg and is normally used in a wheelchair. The Board can be used for either the left or right leg. Made from a strong plastic that is easy to wipe clean, to

help Infection Control. This plastic is virtually maintenance free and will not splinter. The webbing straps can be removed for washing or replacing if

necessary.





RESQBP Yes Balance Pad Balance Pad ultrasoft speciality foam is Length 50cm both water- and dirt-41cm resistantApplication:Balance training, 0.7kg co-ordination and reaction training, mobility training, standing stability training, functional retraining of the muscles in the lower extremities, motorskill training to maintain balance, e.g. for age related physiological changes to the muscles and skeletal frame. The Physiomed Balance Pad - several can be laid on top of each other to increase the iwobble effect"". The closed-cel robust and hygienic. They are multifunctional in use and are ideally suited for use as swimming floats. **Pain Management** 



Width

Weight

RETU01	Yes	Tens Unit Spectrum	This easy to use, digital TENS machine offers natural, non-invasive pain relief without the use of chemicals or drugs. Transcutaneous Electrical Nerve Stimulation (TENS) delivers tiny electrical impulses to the nerve fibres that lie underneath the skin's surface, providing pain relief by blocking pain signals to the brain via the spinal cord and peripheral nervous system.  Large liquid crystal display and easy operation press buttons, ideal for people who have difficulty reading smaller panel inscriptions or turning smaller dials. The unit offers 32 stimulation modes for pain relief and muscle training. There are 5 adjustable TENS modes, 3 adjustable EMS modes and 24 professional presets for TENS and EMS available.	1 x TENS machine unit 1 x D size 9-volt battery 1 x AC power adaptor 2 x electrode leads 4 x self adhesive electrodes (pack of 4) 1 x instruction manual 1 x hard plastic carrying case
		Weights		
REHW0.5	Yes	HAND WEIGHT Plastic COATED .5KG	These dumbells are made of steel but coated in a soft vinyl (PVC) easy-clean coating. Can be used during work-outs to increase strength training, or used alone as part of a weight training program.	Dumbell, Vinyl Coated, Purple 0.5kg



REHW1.0	Yes	HAND WEIGHT Plastic COATED 1.0KG	These dumbells are made of steel but coated in a soft vinyl (PVC) easy-clean coating. Can be used during work-outs to increase strength training, or used alone as part of a weight training program.	Dumbell, Vinyl Coated, Pink 1.0 kg	
REHW1.5	Yes	HAND WEIGHT Plastic COATED 1.5KG	These dumbells are made of steel but coated in a soft vinyl (PVC) easy-clean coating. Can be used during work-outs to increase strength training, or used alone as part of a weight training program.	Dumbell, Vinyl Coated, Green 1.5kg	
REHW2.0	Yes	HAND WEIGHT Plastic COATED 2.0KG	These dumbells are made of steel but coated in a soft vinyl (PVC) easy-clean coating. Can be used during work-outs to increase strength training, or used alone as part of a weight training program.	Dumbell, Vinyl Coated, Mauve 2.0kg	(2.0rs)
		Exercise Media	_	-	
RETBTHN	Yes	Theraband Yellow 5.5m	TheraBand Resistance Exercise Bands are best used before working out for preventative stretches that prime muscles for strenuous exercises. They	Yellow thin 5.5m	■Thera-Band  EXERCISE BANDS

are an essential part of any workout or athletic activity.

RETPXSF	Yes	Theraputty Tan Extra Soft 85g	Metron Therapeutic Putty works to strengthen your hands and can help prevent future hand and wrist problems. It is also perfect for hand grip exercises, stress relief exercises, wrist exercises, and upper arm exercises. It is superior to squeezy balls, hand weights, hand springs, or any other exercise/stress relief product.	Tan Extra Soft 85g	smetron control of the state of
RETPSFT	Yes	Theraputty Yellow Soft 85g	Metron Therapeutic Putty works to strengthen your hands and can help prevent future hand and wrist problems. It is also perfect for hand grip exercises, stress relief exercises, wrist exercises, and upper arm exercises. It is superior to squeezy balls, hand weights, hand springs, or any other exercise/stress relief product.	Yellow Soft 85g	TIMETON TIMETON CONTINUES ASSAULT ASSA
RETPMDM	Yes	Theraputty Red Medium 85g	Metron Therapeutic Putty works to strengthen your hands and can help prevent future hand and wrist problems. It is also perfect for hand grip exercises, stress relief exercises, wrist exercises, and upper arm exercises. It is superior to squeezy balls, hand weights, hand springs, or any other exercise/stress relief product.	Red Medium 85g	THE PORT OF THE PO

RETPFRM	Yes	Theraputty Green Firm 85g	Metron Therapeutic Putty works to strengthen your hands and can help prevent future hand and wrist problems. It is also perfect for hand grip exercises, stress relief exercises, wrist exercises, and upper arm exercises. It is superior to squeezy balls, hand weights, hand springs, or any other exercise/stress relief product.	Green Firm 85g
REAW0.9	Yes	,	Vinyl Cuff Weights with a long velcro closure strap assures a secure and comfortable fit even during the most strenuous exercise program.	White 0.9kg Ankle Weight with velcro fastening.

ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
Ver		BRACES AND SUPPORTS BRACES			
BRSKB01	Yes	Knee Brace - Futuro Sport Adjustable	Walk. Jog. Run. The FUTURO Sport Adjustable Knee Support keeps you moving with compression, strength and support where you need it. It also helps provide protection on the track, court, or green. With this adjustable knee wrap, there is no excuse not to be active anymore. Special Features: Adjustable straps for customised fit and support Use For: Sprains, strains, arthritis Product Type: Wrap Around Features and Benefits:  Open knee cap design for added support Side ventilation for breathability and reduced bunching behind knee Durable neoprene-blend material for strong support, soothing warmth, and comfort Easy to put on and take off	45.7cm	FUTURO SOUTH STATE OF THE STATE

Yes

Wrist Braces Roylan D Ring Small Left

Wrist Circumference 14.6cm to 16.5cm Length 16.5cm



Yes

Wrist Braces Roylan D Ring Small Right

Wrist Circumference 14.6cm to 16.5cm Length 16.5cm



Yes

Wrist Braces Roylan D Ring Medium Left

Wrist Circumference 17.1cm to 19.1cm Length 17.8cm



Wrist Braces Roylan D Ring Medium Right

Wrist Circumference 17.1cm to 19.1cm Length 17.8cm



Yes

Wrist Braces Roylan D Ring Large Left

Wrist Circumference 19.7cm to 21.6 cm Length 19cm



Yes

Wrist Braces Roylan D Ring Large Right

Wrist Circumference 19.7cm to 21.6 cm Length 19cm



The right choice for high-compliance treatment of arthritis, carpal tunnel syndrome, tendonitis and other wrist disorders. Prevents unwanted flexion or extension, yet allows unobstructed motion of the fingers, thumb. Nonelastic circumferential design for easy application and for firm, evenly distributed pressure without restricting circulation. Protective padding lined with cotton stockinette (except for white) D-ring closure system for simple application, removal and customized tension control. A double layer of stockinette under closures cushions straps. Forearm length is proportional to brace size. Removable, adjustable aluminum bar for additional support. Machine wash and air dry. Latex free.

**ORTHOSES** 

BRSAF01a Yes

Rebound Foot Up Ankle Cuff S/M

Rebound Foot-Up is a lightweight ankle Anke Cuff 18-25cm Foot foot orthosis that offers dynamic and discreet support for drop foot or related 28cm disorders requiring dorsiflexion support

wrap, strap and bolt 20-

Contoured to the shape of the leg, it is comfortable to wear and easy to use

Rebound Foot-Up provides visible improvement in gait by supporting the foot the moment it is raised



BRSAF02a Yes

Rebound Foot Up Ankle Cuff L/XL

Rebound Foot-Up is a lightweight ankle Anke Cuff 26-33cm Foot foot orthosis that offers dynamic and discreet support for drop foot or related 28cm disorders requiring dorsiflexion support

wrap, strap and bolt 20-

Contoured to the shape of the leg, it is comfortable to wear and easy to use

Rebound Foot-Up provides visible improvement in gait by supporting the foot the moment it is raised



BRSAF06	Yes	Ankle Foot Orthosis Foot-Up Shoeless Wrap Universal

Rebound Foot-Up Foot Wrap can be used when barefoot or in open shoes or sandals. The adjustable elastic strap of the Rebound Foot Up is attached to the Foot Wrap using a nut and bolt fastened through the eyelets.

One size cut to size (20-28cm)



The Rebound Foot-Up Ankle Cuff and Rebound Foot-Up Foot Wrap are made from breathable material that can be worn comfortably for long periods of time.

The Rebound Foot-Up is handwashable.

ITEM CODE	CHSP EQUIP IN SCOPE LIST	PRODUCT	PRODUCT DESCRIPTION	SPECIFICATIONS	IMAGE
		HOME ACCESS Portable Ramps			
HARMP1	Yes	Multipurpose Ramp 870mm	Fibreglass ramp that has a concertina folding action for storage and transport. 875 mm length.	835mm width 875mm length 5.6kg	
HARMP2	Yes	DecPac Portable Ramp 700mm	Fibreglass ramp that has a concertina folding action for storage and transport. 700mm length.	745mm width 700mm length 4.7kg	
HARMP3	Yes	DecPac Portable Ramp 1200mm	Fibreglass ramp that has a concertina folding action for storage and transport. 1200mm length.	750mm width 1200mm length 8.0kg	
HARMP3E	Yes	DecPac Portable Ramp 1200mm (with EDGE)	Fibreglass ramp that has a concertina folding action for storage and transport. 1200mm length with EDGE.	820mm width 1200mm length 9.7kg	
HARMP5	Yes	DecPac Portable Ramp 1650mm	Fibreglass ramp that has a concertina folding action for storage and transport. 1650mm length.	750mm width 1650mm length 10.8kg	
HARMP5E	Yes	DecPac Portable Ramp 1650mm (with EDGE)	Fibreglass ramp that has a concertina folding action for storage and transport. 1650mm length with EDGE.	820mm width 1650mm length 13kg	

HARMP6	Yes	DecPac Portable Ramp 2000mm	Fibreglass ramp that has a concertina folding action for storage and transport. 2000mm length.	
HARMP7	Yes	DecPac Portable Ramp 2000mm (with EDGE)	Fibreglass ramp that has a concertina folding action for storage and transport. 2000mm length with EDGE.	